

Ref: GIL/Mahad/2024/52

Date - 06.05.2024

Taght 2 Pollution Control Roads

To. Sub Regional Officer, Maharashtra Pollution Control Board, Samaik Suvidha Kendra Building, MIDC - Mahad, District Raigad - 402 309

Subject: Submission of Six-Monthly Compliance Status of conditions of Environmental Clearance for the period October 23 to March 24

Ref: EC granted by SEIAA vide No: EC22B023MH151788, File No.: EC22B023MH151788, Dated: 24th August 2022

Dear Sir,

We, M/s. Grasim Industries Limited, are setting up an Integrated Paint Manufacturing Unit at Plot No. A-1, MIDC Mahad, Village Kamble Tarfe Birwadi, Taluka Mahad & District Raigad, Maharashtra.

Kindly refer to the above subject matter, we are submitting herewith the six-monthly compliance status of the conditions of Environmental Clearance (EC) dated 24th August 2022 for the period October 23 to March 24

Please find the enclosed report for your perusal. Hope you will find this in order. We request you to kindly accept the same.

Thanking You,

For M/S Grasim Industries Limited,

Mahendra Singh Shekhawat

Unit Head

(Authorized Signatory)

Copy To:

Regional Office MoEF & CC, Nagpur

Paragrad Politican Control Board Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai

State Level Environment Impact Assessment Authority, Mumbai

Grasim Industries Limited (Birla Paints Division)

Site Address : Plot no A-1, MiDC Industrial Area, Village : Kamble Tarf Birwadi, Mahad - 402309, Dist. : Raigad, Maharashtra E: birlapaints.mahad@adityabirla.com



ENVIRONMENTAL CLEARANCE SIX-MONTHLY COMPLIANCE REPORT

EC Identification No.	EC22B023MH151788
File No.	SIA/MH/IND3/68936/2021
Date of Issue EC	24.08.2022
Project Scheduled Activity & Category	Scheduled Activity 5 (h) Integrated Paint Industry, Category "B1"
Name of the Project & Address	Greenfield Integrated Paint Manufacturing Unit at Plot No A-1, MIDC- Mahad Industrial Area, Village Kamble Tarfe Birwadi, Taluka Mahad, District Raigad, Maharashtra
Name of the Organization	Grasim Industries Ltd. (Birla Paints Division)



SI.#	Description of EC Conditions	Compliance Status	Annexure	
A	SEAC Cond	itions		
PP to submit layout plan showing internal roads with minimum six-meter width and nine meter turning radius entry/gates (preferably sliding gates), provision of cul-de-sac at dead ends of the internal roads if any, location of pollution control equipment's, parking areas, 33% green belt with its dimensions preferably on the periphery of the plot with the provision of drip irrigation, rain water harvesting structures (locations with dimensions), storms water drain lines, along with index and area statement showing calculations for each area and cross sections of storm water drain and rain water harvesting pits etc.		Plant layout with all the requisite details has been submitted.	Nil	
2	PP to provide Zero Liquid Discharge Effluent Treatment Plant. PP to explore possibility to assess Techno - economic feasibility of using technology for MEE such as low temperature/mechanical vapor compressor etc. to reduce operation cost and use natural resources.	Effluent treatment plant capacity of		
200	Sewage treatment plant with of		_	
4	PP to ensure to deploy well trained regular employees on all critical/hazardous operations and storage of hazardous chemicals instead of contract workers. Regular safety training to be provided to all such employees.	Team members having requisite qualification for handling of all		
5	PP to prepare chemical compatibility chart of all chemicals and finished products handled, stored on site and ensure its storage/handling as per compatibility.	This is noted for Compliance and will be	2.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	
6	PP to provide continuous online monitoring system connected to the servers of CPCB and MPCB			
7	PP proposes to plant 27000 trees within the plot area on This is noted for Compliance. Green mandatory 33% (1,34,439 Sq) green belt area. PP to complete green belt development with the provision of drip irrigation before the commissioning of the manufacturing activity.		Nil	
8	PP ensure to provide adequate space for parking of all types of vehicles including external vehicles carrying raw material and finished products. No vehicles shall be parked on the public road.	raw material and finished products is	Annexure 2	
9	PP to provide adequate facilities to the construction workers on site like safe and clean drinking water, Mobile toilets. PP to provide organic waste convertor for	facilities are provided to construction	(0)	

	management of organic waste on site during construction phase.		
10		been prepared and Submitted to DISH Office. Regular training imparted to the	
11	PP to complete rainwater harvesting facility before the commissioning of the manufacturing activity.	Storage facility of rainwater & storm water is under construction phase	Annexure 5
12	PP to provide sliding gate at entry and exit to achieve maximum Turing radius of vehicle entering the site.	This is Noted for Compliance	Nil
13	PP to utilize CER funds of 6.7 Cr. For the development of public infrastructure, water bodies rejuvenation, nature- based solutions near the project area in consolation with District Administration.	has been initiated. Plan for utilization	E.
14	PP to provide solar energy for the illumination of common areas like administrative building, parking areas, streetlight etc.	Provision of solar system has been initiated and sufficient illumination in the common areas will be maintained through solar power.	
В	SEIAA cond	litions	
1	PP submitted MIDC plan dated 6.06.2022. As per the said plan total plot area is 4,07,384.00 M2 and green belt area provided is 1,34,439.00 m2 i.e. 33% of total plot area.	Complied	Nil
2	PP to undertake Miyawaki plantation of native and indigenous trees such as Banyan, Peeple, Neem, Jamun and other suitable trees as per the Forest Department, Govt. of Maharashtra circular no. SaVaVi-2019/C.R.3/F-11, dated 25th June 2019. The said plantation to be completed in the first year of operation of environmental Clearance under expert guidance of Miyawaki experts/arborist	This is Noted for Compliance	Nil
3	PP to strictly observe the solid waste management Rules, 2016 as amended time to time	This is Noted for Compliance	Nil
4	PP to strictly observe the Hazardous and other wastes (Management & Trans boundary Movement) Rules, 2016 as amended time to time	Membership certificate for "CHWTSDF" has been received for Hazardous & Other waste management.	Annexure 6
5	PP to identify all sources of fugitive air pollution on site and provide pollution control measures to mitigate pollution and meet the standard parameters stipulated in the Environment (Protection) Rules, 1986 amended time to time & Air (Prevention and control pollution) Act, 1981 amended time to time	This is Noted for Compliance	Nil

6	PP to ensure storage of chemicals as per the Manufacture, storage, and Import of Hazardous Chemicals Rules, 1989 amended time to time to ensure no release of any chemical to the atmosphere and leakage to the soil	This is Noted for Compliance	Nil
7	PP ensure transport, storage, handling and use of the flammable/toxic chemicals as per conditions stipulated in license/approval of the Petroleum & Explosive safety organization(PESO)	Received license from PESO bearing License No. P/WC/MH/15/6490 (P541442) dated 06/02/2024	Annexure 7
8	PP obtain approval and License from the Directorate of Industrial Health and safety (DISH) for proposed project and implement all condition stipulated therein. PP to carry out safety Audit as stipulated in the Maharashtra Factories Rule, 1963 and ensure compliance of recommendation of the audit.	Application has been submitted for factory license. The Safety Audit and its compliance audit has been done as per the Maharashtra Factories Rule, 1963 and submitted the reports to DISH office.	Refer Annexture 4
9	PP to provide solar energy for illumination of Administrative Building, streetlights and parking area.	Provision of solar system has been initiated.	Nil
10	PP to Ensure use of briquette/bio coal/pellets/or any such suitable product derived from scientific processing of appropriate stream of dry waste/agricultural waste, not less than 50% of the total fuel requirement to the boiler.	This condition has been removed. Attached SEIAA approval letter.	Annexture 8
11	PP to provide roof top Rainwater harvesting facility	Roof top Rainwater harvesting facility is considered and implementation is under process at site	Nil
12	PP to ensure that proposed project is ZLD	This is Noted for Compliance	Nil
С	GENERAL COI	NDITIONS	
1	The project proponent shall advertise at least in two local Advertising in two local newspapers newspapers widely circulated in region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this submitted to local authorities letter, informing that the project has been accorded Environmental Clearance and copies of Environmental district administration office & Environmental Clearance letter are available with the Maharashtra Pollution Control Board, website of the company and		
2	may also be seen at Website at http://parivesh.nic.in The project Proponent shall upload the status of compliance (soft copies) of the conditions stipulated Environmental Clearance letter including monitoring date of air, water, soil, noise etc. On their website and shall update the same periodically. The half yearly compliance report shall simultaneously be submitted to the Maharashtra Pollution Control Board, SEIAA and the regional Office of MoEF & CC at Nagpur, on 1st June & 1st Dec of each calendar year.	conditions along with status of compliance has been uploaded on website.	Annexure 10
3	Separate funds shall be allocated for implementation of Environmental Management Plan along with item wis break up and specific time line for its completion. The cost shall be included as part of the project cost. The funds earmarked for the environmental protection measures shall not be diverted for other purpose an year-wise expenditure should be reported to MPCB and	e e e e e e e e e e e e e e e e e e e	Nil

	the SEIAA.		
4	A separate Environmental Management cell with Co qualified personnel shall be set up for implementation of stipulated environmental safeguards.	Complied.	Annexure 11
5	In the event of failure of any pollution control equipment, The manufacturing activity shall be immediately stopped safely till the effective functioning of pollution control equipment's is regained.	his is Noted for Compliance	Nil
6	PP to strictly follow conditions stipulated in the consent Co to Establish/Operate issued by the Maharashtraan Pollution Control Board.		Annexure 12
7	PP to provide separate drains for storm water and The effluent, and ensure that, the storm water drains are dry all the time and in no case the effluent shall mix with the storm water drain.	his is Noted for Compliance	Nil
8	Periodic Monitoring of ground water in the study area as The marked in the Environmental Impact Assessment Report shall undertaken and results analysed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	his is Noted for Compliance	Nil
9	The overall noise levels in and around the factory No premises shall be kept within the prescribed standard under the Environment (Protection) Act, 1986 and Rule, in 1989 as amended from time to time by providing adequate noise control measures and protective equipment's like earmuff and ear plug etc.	onducted at pre-defined locations at	Annexure 13
10	Adequate safety measures shall be ensured to limit the Thrisk zone within the factory premises. Leak detection system shall be installed for early detection and mitigation purpose.	his is Noted for Compliance	Nil
11	PP to scrupulously follow the requirements of The Maharashtra Factories Act, 1948 & Rules 1963 as amended from time to time.	This is Noted for Compliance	Nil
12	The Environmental Statement for each financial year Thending on 31st March in Form-V as is mandated to be submitted by the project Proponent to the concerned Pollution Control Board as prescribed under the Environmental (Protection) Rule 1989 as amended from time to time, it shall also be put on the website of the company along with the status of the compliance of the conditions stipulated in the Environmental clearance letter.	his is Noted for Compliance	Nil



ANNEXURES


Annexure No.	Annexure Description	
Annexure 1	ZLD Plant (ETP, MEE, RO) & STP Plant	
Annexure 2	Dedicated Parking provision on site	
Annexure 3	Provision of Mobile Toilet, Drinking Water Facility & Organic Waste Convertor	
Annexure 4	Ack copy of Safety Audit submission	
Annexure 5	Rainwater/Storm Water storage facility	
Annexure 6	Membership certificate for "CHWTSDF"	
Annexure 7 PESO License Copy		
Annexure 8 SEIAA approval letter on condition B-10		
Annexure 9	Advertisement of EC in Local Newspaper (English and Marathi)	
Annexure 10	EC Letter Conditions status uploaded on website	
Annexure 11	Environmental Cell- Organization Chart	
Annexure 12	Consent to Establish conditions compliance	
Annexure 13	Environment Monitoring Reports	





ZLD Plant (ETP, RO, MEE) & STP Plant








Dedicated Parking Provision

ofe













Mobile Toilet Facility Provided at Site



Organic Waste Convertor









Drinking Water Facility Provided at Site (RO System & adequate Water Cooler provided)

Ym



Date: 28/03/2024

To, Joint Directors, Director Industrial Safety & Health, Room No. 522, 5th Floor, Konkan Bhavan, CBD Belapur, Navi Mumbai, Raigad.

Subject: Submission of various reports as Compliance of conditions which are laid down in Factory Drawings Approval Letter.

Reference: Factory Drawing Approval Letter Ref. No 122000000029283 dated 07/10/2022

Dear Sir,

With respect to the above subject, we are submitting herewith the compliance of the below mentioned studies report:

- 1) Structural Stability Certificate
- 2) HAZOP Study Report
- 3) Maximum Credible Loss Scenario (MCLS) Study Report in respect of storage of solvents and hazardous chemicals.
- 4) Job Safety Analysis (JSA) Report of all routine and non-routine activities.
- 5) Onsite Emergency Plan.
- 6) Restaut wp Audit Report as per BIS 14489 standards and as per Maharashtra Factories (Safety Audit) Rules, 2014

Kindly acknowledge the receipt of the reports and issue the Factory License.

Thanking You,

For, M/s Grasim Industries Limited.

Mahendra Singh Shekhawat

Unit Head

(Authorized Signatory)

आसेन्य संग्राम्य, वयनड

क्रीक्रम मध्य क्रिक्ट स्टाई

स्रोत क पर प्रशासना

सीवीडी वेलापूर, नवी मुंबई - ४००६१४


Grasim Industries Limited (Birta Paints Division)

0.572

Site Address : Plot no A-1, MIDC Industrial Area, Village : Kamble Tarf Birwadi, Mahad - 402309, Dist. : Raigad, Maharashtra E: birtapaints.mahad@adityabirta.com

> Head Office: 9th Floor, Birla Centurion, Pandurang Budhkar Marg, Worli, Mumbai - 400 030 India T:+91 22 6854 0444 / 5036 5711 | W: www.adicyabirta.com | CN: L17124MP947PLC000410

> > Scanned with CamScanner



Rainwater/Strom Water Storage Facility

Ym



Mumbai Waste Management Ltd.

Certificate

- of Membership -

MIS. GRASIM INDUSTRIES LTD. (BIRLA PAINTS DIVISION)

is a registered member of
CHW-TSDF at MIDC –Taloja for
safe and secure disposal of
Hazardous waste with
Membership No: MWML – HZW – MHD – 5669

This Certificate is valid up to: 31st JANUARY 2025

Onkar Kulkarni Manager –MBD

Somnath Malgar Director

Aviso 900120117 SO 14001-2015 / SO 450012018 Certified Company MANUL Laboratory is Accredited by NABL & Recognised by Me1F & CC

Ym





nent of India Government ज गाँउ वाणिज्य और उद्योग मंत्रातप सामित्रक अस्य द्वापा महात्तव Ministry of Commerce & Industry पेट्रोसियम तथा विश्वादक सुरक्षा संगठन (वेली) Petroleum & Explosives Safety Organisation (PESO) ए.1 और ए.2 विग, पाँचका तल, केरीन कार्यात्रक परिसर, जी. वी. ती. बेसापुर गयी मुंबई (महा.)- 400614 At 8. A2 wing, 5th Floor, C.G.O. complex, CBD Belagore, Nevi Mumbel (M.S.), Mumbel - 400814

E-mail: (#ccemumbai@explosives.gov.in Phone/Fax No. 022 - 27575846.27573681

ERE /No. P/WC/MH/15/6490 (P541442)

सेस में तक

Mis. Grasim Industries Limited, Plot No. A-1, Kamble Tarle Birwedi, Mahad, Taluka: Mahad, District: RAIGAD, State: Maharashtra PIN: 402309

টিমন (Sub : Plot No. A-1, Kamble Tarfe Birwadi Mahad Taluka Mahad District Raiged Maharashtra., Kamble Tarfe Birwadi, Mahad, Taluka: Mahad, District: RAIGAD, State: Maharashtra, Pint. 402309 में पहुलिया वर्ग এই অনুসৰ্ভিত আই কান্ট কাই না

Petroleum Class A.B. Installation at Plot No. A-1, Kambio Tarle Birwadi Mahad Taluka Mahad District Reigad Mahareshtra., Kambio Tarle Birwadi, Mahad, Taluka: Mahad, District: RAIGAD,

State: Maharashtra, PIN: 402309 Grant of License regarding.

महोदम

कृपाद आपके पत्र क्यांक (0141584622 दिनांक 31/01/2024 का अवतीकन करें।

Please refer to your letter No. QIN1564622 dated 31/01/2024

विकास्तावर्षात अविकारण में निवासिका चेतुंतियम पदार्गों के वर्ष तथा मात्र के भंजसम के निवास निवास निवास निवास मात्र के अपने प्रस्था के वर्ष मात्र अपने मात्र १८०० के अपने प्रस्था - XV में स्वीकृत, दिनांक 21/12/2028 तक नैव अनुसन्ति संस्था निवास मात्र के भंजसम के निवास निव दिनांक वक्तवदायवयक मोनी सा रही है ।

Licence No. Previous Passage (P541442) dated 06/02/2024 granted in Form XV under the Petroleum Rules, 2002 and valid till 31/12/2028 for the storage of the following kinds and quantities of Petroleum at the subject installation is fo

पंट्रॉडिंगम का विशंसा /Description of Petroleum	विश्वतिक्षित्वे में अनुसार क्षमात /Quantly licenced in Ki.
वर्ष क प्रदेव पेट्रॉलिंगर Petroleum Class Ambulk	50.00 KL
of क प्रयुक्ष पेट्रिशियम से मिश्र Petroleum Class A, otherwise than in bulk	NIL.
र्का स प्रमुख पेट्रिजियम (Petroleum Class B in bulk	1425.00 KL
वर्ष क्ष प्रमुख पेट्रेसियम से पित्र /Petroleum Class B, otherwise then in bulk	NIL
वर्ष व प्रयोग पेट्रेरियम /Petroleum Class C in bulk	NIL
वर्ष र प्रयुज पेट्रेरिकान से निश्च (Petroloum Class Cotherwise than in bulk	NIL
कुन्त कुन्ता /Total Capacity	1475.00 KL

कृपचा चेट्रेडिएव निरम 2002 के अधीन बनार गुर निरम 148 में टी गई प्रक्रिया का कार्या से पातन करें और अनुस्थि के अधिकात होतु समझ रक्षाकेंसें की अनुसचि की नैधार समाची की रातिस या उससे पूर्व Jt. Chief Controller of Explosives, West Circle, Mumbai of 1757 of 1

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Jr. Chief Controller of Explosives, West Circle, Mumbal, so as to reach his office on or before the date or which Licence expires.

यह अनुमोदन अनुमति कन प्राधिकारियों से आवक्षक अनुमतिकारियरना प्राप्त करने से या पात तागू अन्य विकियों से तुर नहीं देती है ।

This approvaliparmission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

1418074 Prours feltifully.

((अमित कुमार) (Amit Kumar)) विकाटक नियंत्रक Controller of Explosives কৃষ্ণী ৰাত্মক মুক্তা বিৰক্তীতক নিৰ্থাৰক For Jt. Chief Controller of Explosiv দলী মুক্তই (নক্ত্য.)Mumbai

Copy forwanded to :
1. The District Magatrate, RAIGAD(Waharashtra) with reference to his NOC No DCMAG-2/NOC/Petroleum/Grasim/Sr. No. 13/2023 Dated 28/07/0223

For Jt. Chief Controller of Explosives

(अधिक जानकारी क्षेत्रे आवेदन की विचेत्रे, मूल्क राधा अन्य विवास के लिए (अपनी वेबलाइर http://peso.gov.in देखें) (For more information regarding status, fees and other details please visit our website http://pess.gov.in)

Note:-This is system generated document does not require signature.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/IND3/291527/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032. Date: 56.02.2024

To Digamber Singh. At Plot No. A1 Midc Mahad Village Kamble Tarfe Birwadi Taluka Mahad District Raigad

Subject: Corrigendum in Environmental clearance for Proposed Integrated Paint
Manufacturing Facility At Plot No. A1 Mide Mahad Village Kamble Tarfe
Birwadi Taluka Mahad District Raigad Maharashtra 402309 by Digamber
Singh.

Reference: 1. Application no. SIA/MH/IND3/291527/2022.
2. Earlier EC No.vide EC22B023MH151788 (File No. –

SIA/MH/IND3/68936/2021) dated 24.08.2022.

This has reference to your communication on the above-mentioned subject. You have obtained Environment Clearance vide EC No. EC22B023MH151788 dated 24.08.2022. Now, you have applied for corrigendum in Environment Clearance dated 24.08.2022.

Your Proposal was considered in 273rd (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 3rd January, 2024 and SEIAA decided to grant corrigendum in Environment Clearance dated as below-

PP has obtained earlier EC vide EC Identification No. - EC22B023MH151788 (File No. - SIA/MH/IND3/68936/2021) dated 24.08.2022. SEIAA further observed that, in the EC dated 24.08.2022 SEIAA specific condition no 10 is as -"PP to ensure use of briquette / bio-coal/Pellets/ or any such suitable product derived from scientific processing of appropriate stream of dry waste /agricultural waste not less than 50% of total fuel required to boiler.". Now, PP submitted that, while applying for Environment Clearance they have proposed use of HSD, however, in SEIAA conditions use of briquette / bio-coal/Pellets/ or any such suitable product. PP also submitted that, they are using HSD complying with the BS-VI norms having Sulphur Content less than 10 ppm. Hence, PP applied for corrigendum in EC dated 24.08.2022 for change in fuel.

SEIAA decided to grant corrigendum in EC dated 24.08.2022 by removing SEIAA specific condition no 10

All the other terms and conditions mentioned in the EC dated 24.08.2022 shall remain the same.

Pravin Darade (Member Secretary, SEIAA)

गासिम इंडस्ट्रीज लिमिटेड

इटीमेटेड पेट उत्पादन युनिट, मुखड क. A1, महाड एमआयडीमी औद्योगिक वीर, मात्र-काबजे तर्थ बिरवाडी, तानुकर महाड, जिल्हा रायगड, महाराष्ट्र-402309

SEIAA, महाराष्ट्र द्वारे, भूखंड क्र. A1, महाड एमआयडीसी औदयोगिक क्षेत्र, गाव-कांबळे तर्फे बिरवाडी, तालुका- महाड, जिल्हा रायगड मध्ये इंटीग्रेटेड पेट उत्पादन युनिटसाठी पर्यावरणविषयक मंजुरीची सूचनाः

याद्वारे सर्व संबंधितांना आणि जनतेला सूचना देण्यात येत आहे की, भूखंड क. A-1, महाड एमआयडीसी औद्योगिक क्षेत्र, गांव- कांबळे, तर्फ बिरवाडी तालुका-महाड, जिल्हा- रायगड राज्य महाराष्ट्र, येथे 24 ऑगस्ट 2022 च्या मंजुरी क्रमांक EC22B023MH151788 च्या पत्रान्वये नवीन उत्पादन कारखाना स्थापनेसाठी राज्यस्तरीय पर्यावरण आधात मूल्यमापन प्राधिकरण (SEIAA) महाराष्ट्राकडून पर्यावरणविषयक मंजूरी देण्यात आली आहे. सदर मंजुरी पत्र संस्थेच्या कॉपॉरेट कार्यालयात आणि राज्यस्तरीय पर्यावरण आधात मूल्यमापन प्राधिकरण (SEIAA), महाराष्ट्राच्या कार्यालयात उपलब्ध आहे आणि MoEF&CC च्या http://environmentclearance.nic.in या संकेतस्थळावर देखील पाहिले जाऊ शकते.

GRASIM INDUSTRIES LIMITED

Integrated Paint Manufacturing unit at Piot no. A. I., Mahad MIDC industrial area. Village: Kamble tarfe Birwadi, Taluka-Mahad, District: Rugad, Maharashira-402 309

Notice of Environmental Clearance by SEIAA, Maharashtra for Integrated Paint Manufacturing Unit at Plot no. A-1, Mahad MIDC Industrial area Village-Kamble tarfe Birwadi, Taluka-Mahad, District Raigad.

Notice is hereby given, to all concerned & public at large, that the Integrated Paint Manufacturing Unit at Plot no. A-1, Mahad MIDC Industrial Area, Village, Kamble tarfe Birwadi Taluka-Mahad, District- Raigad State Maharashtra been accorded Environmental clearance from State Level Environmental Impact Assessment Authority (SEIAA) Maharashtra vide its letter of clearance no. EC22B023MH151788 dated 24th August 2022. The copy of the said clearance letter is available at the corporate office of the organization and at the office of State Level Environment Impact Assessment Authority (SEIAA), Maharashtra and may also be seen at the website of MoEF&CC i.e. http://environmentclearance.nic.in.

Advertisement in Local Newspapers

Ym

ग्रासिम इंडस्ट्रीज लिमिटेड

हटीग्रेटेड पेंट उत्पादन चुनिट, भूखंड क्र. A1, महाड एमआयडीमी औद्योगिक क्षेत्र, गाय- कांबळे तर्फे किरवाडी, तालुका यहाड. जिल्हा राषगड, महाराष्ट्र-४०२३०९

SEIAA, महाराष्ट्र द्वारे, भूखंड क. A1, महाद एमआयडीसी औद्योगिक क्षेत्र, गाव- कांबळे अने विरवाडी, तालुका- महाद, जिल्हा रावगडमध्ये इंटीग्रेटेड पेंट उत्पादन बुनिटसाडी पर्यावरमध्यक मंजुरीची सूचनाः

पाइते सर्व संबंधितांना आणि जनतेला सूचना देत्यात येत आहे की, पूछंड क्र.A1, महाड एपआयडीसी औद्योगिक केंच, गाव- कांचळे, तफे विरवाडी तालुका-महाड, जिल्हा- रायणड राज्य महाराष्ट्र, येथे २४ ऑगस्ट २०२२ च्या मंतुरी क्रमान EC२२B०२६MH१५१७८८ च्या पत्रान्यये नवीन उत्पादन कारखाना स्थापनेसाडी राज्यस्तरीय पर्यावरण आधात मूल्यमापन प्राधिकत्व (SEIAA) महाराष्ट्राकटून पर्यावरणविषयक मंतुरी देण्यात आली आहे. सदा मंतुरी पत्र संस्थेच्या कांचीरेट कार्यालयात आणि सन्वस्तरीय पर्यावरण आधात मूल्यमापन प्राधिकरण (SEIAA), महाराष्ट्राच्या कार्यालयात उपलब्ध आहे आणि MoEF&CC च्या http://environmentclearance.nic.in. या संकेतस्थळावर देखील पाहिले जाऊ शकते

GRASIM INDUSTRIES LIMITED


Integrated Paint Manufacturing unit at Plot no. A-1, Mahad MIDC industrial area, Village-Kamble tarfe Birwadi, Taluka-Mahad, District- Raigad, Maharashtra- 402 309

Notice of Environmental Clearance by SEIAA, Maharashtra for Integrated Paint Manufacturing Unit at Plot no. A-1, Mahad MIDC Industrial area Village-Kamble tarfe Birwadi, Taluka- Mahad, District Raigad.

Notice is hereby given, to all concerned & public at large, that the Integrated Paint Manufacturing Unit at Plot no. A-1, Mahad MIDC Industrial Area, Village-Kamble tarfe Birwadi Taluka-Mahad, District-Raigad State Maharashtra been accorded Environmental clearance from State Level Environmental Impact Assessment Authority (SEIAA) Maharashtra vide its letter of clearance no. EC22B023MH151788 dated 24th August 2022. The copy of the said clearance letter is available at the corporate office of the organization and at the office of State Level Environment Impact Assessment Authority (SEIAA), Maharashtra and may also be seen at the website of MoEF&CC i.e. http://environmentclearance.nic.in.

Advertisement in Local Newspapers

You



EC Letter & Compliance Conditions uploaded on website.



ENVIRONMENTAL CELL

Mahendra Singh Shekhawat Unit Head

Raj Kumar Lakhotia EHS Lead BE (Chemical), ADIS, PGDEM Experience 15 years

Sachin Yallurkar Associate Manager -EHS MBA (Envt. Science), ADIS, NEBOSH Experience 11 years Anil Patil Assistant Manager-EHS ADIS, DME, Experience 12 years



		ANNEXURE 12	
		CONSENT TO ESTABLISH	
	CTE No: F	ormat L0/CAC/UAN/No.0000133765/CE/2206001311	
		Dute: 23.06.2022	
Sr. No.	Acts/Rules	Specific Conditions	Remark
	Batteries (Management & Handling)		ACTION A
1	Rules, 2001	depositing with the authorized dealer/manufacturer/registered recycler/importer/re-conditioner or at the designated collection center.	This is noted for compliance
2		The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.	This is noted for compliance
3		Bulk consumers to their user units may section used batteries to registered recyclers only.	This is noted for compliance
4		The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.	Noted
5		This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.	Noted
6		The applicant should not take any effective steps for implementation of the project before obtaining. Environmental Clauseon as per IIIA Notification 2006 and amendments thereto. As per Para 2 of IIIA notification dated: 14.09.2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoIIF vide office memorandum no. 1-1103/41/2006-IA.II(I), Dated-19/08/2010, Smoong of the site to protect it from getting encounted and construction of temporary shed(s) for the guard(s) & equinition of land not be treated as an effective step.	Received BC No. 22B023MH151788 Dated 24.08.2022
7		The applicant shall install comprehensive treatment system for treatment of trade effluent & treated offlows will be 100% pocycled in the process to achieve ZLD	Zero liquid discharge efficient treatment plant 150 KLD followed by RO & MEE will be provided. This unit will adhere the norma regulated by CPCB/MPCB.
8		The applicant shall provide Sewage Treatment Plant of adequate capacity & treated sewage shall be used on land for gardening purpose within premises	Domestic wastewater/sewage offhant will be treated in 30 KLD STP plant and considering sewage offloors discharge norms regulated by the MPCB/CPCB
9		The applicant shall dispose the Hazardova Waste as per the provision of H&OW Rule by adopting coline manifest system.	Orders manifest will be sobmitted during submitted of hamedous waste
10		Industry shall install ordine continuous manitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server.	Online continuous monitoring system has been installed
11		The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/Activity.	This is noted for compliance
12		This consent is issued as per the mirrates of Consent Appraisal Committee receting held on 24-5/2022	
13	of Water Pollution Control	A] As per your application, you have proposed to aggregate trade effluent into weak stream & strong stream and provide Effluent Treatment Plant (ETP) comprising of: i) Strong COD/TDS stream of 6 CMD - Treatment system comprising of Primary (Advanced Oxidation, Primary after start). ii) Weak COD/TDS stream of 114 CMD - Treatment system comprising of Primary (Collection	Zero liquid discharge effluent treatment plant. 150 KLD followed by RO & MEE is provided. (Out of total capacity of ETP 150 KLD, 108LD ETP for strong steam & 140 KLD ETP for weak steam is considered)
14		The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.	150 KLD followed by RO & MIRE will be
15		B) As per your application, you have provided Sewage Treatment Plant of designed capacity 30 CMD for the treatment of 23 CMD of sewage.	Domestic wastewater/sewage effluent will be treated in 30 KLD STP plant and considering sewage effluent discharge norms regulated by the MPCB/CPCB
16		The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards:	
17		Parameters & Standards (mg/1): 1. Suspended Solids Not to exceed 50 mg/1 2. BOD 3 days 27oC Not to exceed 30 mg/1 3. COD Not to exceed 100 mg/1	Designing of Outlet parameters of the STP will be as per the standard parameters
18		C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.	Noted
19		The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of say consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an entension or addition thereto.	Consent will be taken before establishment of the unit

20		The indiatry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.	PM shedule will be prepared
21		The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollation). Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act.	Water meter has been provided
22		The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act 1986 and rule made these under from time to time Environmental Clearacce/ CREP guidelines.	ZLD unit consisting of ETP, RO, MEE is installed for the effluent water treatment and STP is installed for the domestic/sewige wat treatment
23		Oxidelines for Strom-Water: 1. Strom water for a plant, a unit (having plot size at least 250 square meters) shall not be allowed to mix with scrubber water, effluent and/or floor washings. 11. Strom water within the battery limits of a unit shall be observed through separate drain or paper passing through a High Density Poly ethylene (HDPE) lines pit having bolding capacity of 10 minutes (boarly average) of maduli.	100000000000000000000000000000000000000
24	Terms & Conditions for compliance of Air Pollution Control	As per your application, you have proposed to provide the Air pollution control (APC) system and also to erect following stack (a) to observe the following fael pattern:	DG sets are considered with acoustic enclosure and having the stack height of 30 mar
25		Bolier Stacks	30 mtr height stacks are considered for the boilers
26		Process Stack & Dust Collectors	3 M shove the roof stack height is considered for the process stack (As per EC Condition)
27		All the dust generating equipments or process shall be provided with dust extraction arrangement.	Noted for Compliance
3		The bag browns, etc. shall be connected to chimneys or stacks of affeast twelve meters beight or at least two meters above the top most point of the building, shed or the plant in the industry, which so ever is higher.	Noted for Compliance
29		The crit shall charmelize shop floor or fugitive emission through a stack of twelve meters height or at least two meters above the top most point of the building or shed or plant in the industry, which so ever is higher	Noted for Compliance
30		The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.	30 Meter Stack beights are provided for the Air Pollution Control as per the EP Act, 1986
.31		The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before in life come to us and or evention of new pollution control equipment.	Noted for Compliance
32		The Board reserves its rights to vary all or any of the condition in the consent, if due to any seclinological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).	Noted for Compliance
33		Guidelines for Solvent Louses The total losses of solvent should not be more than 5% of the solvent consumed, if solvent consumption less than 1000 tons/Antuer, and	Noted for Compliance
34		The solvent loss should not be more than 3% of the solvent consumed, if solvent consumption greater than 1000/tons/Arman.	Noted for Compliance
35	Bank Guarantee	CTE Black Guarantee of 25 Lakh against the compliance of Consent Condition Dated 31:05:2022 till 30:11:2022	BG No. 13940100017173 has been renewed upto 31.12.2024
36	General Conditions	The Energy source for lighting purpose shall preferably be LED based	This is noted for compliance
37		The PP shall harvest raissenter from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant.	Strom water & Roof water system is creadered
38		Conditions for D.G. Set	Section 1997
39		Noise from the D.G. Set should be controlled by providing an accusatic enclosure or by treating the room accustically.	This is noted for compliance
40		Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust moffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.	This is noted for compliance
45		Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.	This is noted for compliance
42		Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.	This is noted for compliance
-0		A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use	This is noted for compliance
44		D.G. Set shall be operated only in case of power failure.	This is noted for compliance
		A CONTRACT OF THE PROPERTY OF	



46	The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with dissel.	This is noted for compliance
47	The applicant shall maintain good housekeeping.	This is noted for compliance
48	The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any missance / pollution. The applicant shall take recessary permissions from civic authorities for disposal of solid waste	This is noted for compliance
49	The applicant shall not change or after the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted-without prior consent of the Board.	This is noted for compliance
50	The industry shall ensure that figurities emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises	This is noted for compliance
51	The industry shall submit questerly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCH official site).	This is noted for compliance
52	The industry shall submit official e-mail address and any change will be duly informed to the MPCB.	This is noted for compliance
53	The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.	This is noted for compliance
54	The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade efficient or as connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.	This is noted for compliance
55	The industry shall ensure replacement of pollution control system or its parts after expery of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof	This is noted for compliance
56	The PP shall provide personal protection equipment as per norms of Pastory Act	This is noted for compliance
57	Industry should monitor effluent quality, stack emissions and ambient air quality monthly quarterly	Monthly monitoring has done and reports are documented
58	Whenever that to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards had down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectionate of Factories and Local Body. In case of failure of pollution control equipments, the production process are to a shall be stopped. The apprehens their provincian automatic nearest power voluce stationars or operate may provide an automatic power voluce stationary or operate may provide an automatic near account.	This is noted for compliance
59	control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall step, reduce or otherwise, control production to abide by terms and	This is noted for compliance
60	The inclustry shall recycle/reprocess/reuse/recover Hanterdous Waste as per the provision contain in the Hanterdous and Other Wastes (M & TM) Rules 2016, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and carnot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incaneration and lendfill site/environment.	This is noted for compliance
61	An inspection book shall be opened and made available to the Board's officers during their vasit to the applicant.	This is noted for compliance
62	Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).	This is noted for compliance
63	Separate drainage system shall be provided for collection of trade and sewage officents. Terminal markoles shall be provided at the end of the collection system with arrangement for measuring the flow. No officent shall be admitted in the pipes/sewers downstream of the terminal manholes. No officent shall find its way other than in designed and provided collection system.	Separate drainage system is designed for the collection of trade & sewage effluent. Terminal munboles will be provided
-61	Neither stoon water nor discharge from other premises shall be allowed to mix with the effluents from the factory	This is noted for compliance
65	The industry should not cause any missance in surrounding area	This is noted for compliance
66	The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is recknowd in between 6 a.m. and 10 p.m. and sight time is recknowd between 10 p.m. and 6 a.m.	Noise morntering has been done and the results are within the standards
67	The industry shall create the Environmental Cell by appointing an Environmental Bingineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation	Complied
68	The applicant shall provide ports at the characty(s) and facilities such as ladder, platform etc. for escenbering the sir emissions and the same shall be open for importion toland for use of the Board's Staff. The characty(s) vents attached to vacious sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted displayed to facilitate identification.	This is noted for compliance



69	The inflastry should comply with the Hazardous and Other Wastes (M. & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M. & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
70	The applicant shall install a separate meter showing the consumption of energy for operation of domestic and instastrial efficient treatment plants and air pollution control system. A register showing This is noted for compliance consumption of chemicals used for treatment shall be maintained.
71	The applicant shall bring minimum 33% of the available open land under green occurage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
72	The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the partification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
73	The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the fauncial year ending. 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
74	The Applicant shall obtain recessary prior permission for providing additional control equipment with recessary specifications and operation thereof or alteration or replacement/alteration well. This is noted for compliance before its life come to an end or erection of new pollution control equipment.
75	The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary). This is noted for compliance
76	The applicant shall provide facility for collection of environmental samples and samples of trade and newage effluents, are emissions and hazardous waste to the Board steff at the terminal or designated. This is noted for compliance points and shall pay to the Board for the services emidered in this behalf.





Lab Approved by MoEF, New Delhi. (Valid till 05/02/2024)

"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Decinarath Mangeshkar Hospital, Pune 411 004.

* Tel.: 020 - 25460202, 25460203, 25460023, 25460033. * Email: kmn@hespt.co.in / md@hespt.co.in * www.hespt.co.in

TEST CERTIFICATE

Page 1 of 1 HS/LAB/NABL/F/7.8.2.1

CLIENT'S NAME & ADDRESS	ULR NO.	TC7064240000019005
Grasim Industries Limited Birla Paints Division	REPORT DATE	22/03/2024
	LAB REFERENCE NO.	HS/LAB/AA/809
Plot No A-1, Village Kamble, Turf	SAMPLING DATE	15&16/03/2024
Birwadi, Mahad Industrial Area, MIDC, Taluka - Mahad, Raigad Maharashtra - 402309	SAMPLE RECEIPT DATE	18/03/2024
	START DATE OF ANALYSIS	18/03/2024
	END DATE OF ANALYSIS	21/03/2024
	SAMPLING REF. / SOP NO.	HS/NABL/Air/14

DETAILS OF SAMPLE	SAMPLING DONE BY	SAMPLE CONTAINER & QUANTITY	NATURE	LOCATION
Ambient Air	Horizon Services	Plastic Bottles and Bags	-	Near Admin Building

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	15&16/03/2024		
02	TEST LOCATION		Near Admin Building	1	
03	TIME OF SAMPLING	Hrs	12:45	1	
04	TEMPERATURE (Max./Min)	Deg C	31/24		
05	RELATIVE HUMIDITY	% RH	53	1	
06	SAMPLING DURATION	Hrs	24	1	
07	PM10	μg/m ³	/ 91.67	≤100	IS 5182(part 23), RA 2022
08	PM _{2.5}	μg/m ³	47.83	≤60	IS 5182(part 24), 2019
09	SO ₂	μg/m ³	13.09	≤80	IS 5182(part 2),2023
10	NO ₂	μg/m ³	18.52	≤80	IS 5182(part 6),2022
11	Lead	μg/m³	BDL (<0.05)	≤1.0	IS 5182(part 22) 2004 AR 2019
12	NH ₃	μg/m ³	BDL (<30)	≤400	IS 5182(part 25)2018
13	Ozone	μg/m ³	BDL (<5)	≤100	IS 5182(part 09)2019
14	Arsenic	ng/m³	BDL (<3)	≤06	HS/NABL/AIR/22:2011
15	Nickel	ng/m³	BDL (<7)	≤20	IS 5182(part 26)2020

Equipment Used: - Fine Dust Sampler, Sr.No.2218 (Polltech Make) Date of Calibration: -29/05/2023 Next Calibration due: -28/05/2024

REMARKS/OBSERVATIONS: -NAAQS: - National Ambient Air Quality Standards

BDL-Below Detectable Level

For HORIZON SERVICES

MKNOWOLKEL

(AUTHORIZED SIGNATORY)

****End of Test Report****





"Shree", K 3/4, S. No. 10. Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

*Tel: 020 - 25460202, 25460203, 25460023, 25460023. *Email: kmn@hespt.co.in / md@hespt.co.in * www.hespt.co.in

TEST CERTIFICATE

Page 1 of 1 HS/LAB/NABL/F/7.8.2.1

		The state of the s
CLIENT'S NAME & ADDRESS	REPORT NO.	HS/LAB/AA/19005
Grasim Industries Limited	REPORT DATE	22/03/2024
Birla Paints Division Plot No A-1, Village Kamble, Turf Birwadi, Mahad Industrial Area, MIDC, Taluka - Mahad, Raigad Maharashtra - 402309	LAB REFERENCE NO.	HS/LAB/AA/809
	SAMPLING DATE	15&16/03/2024
	SAMPLE RECEIPT DATE	18/03/2024
	START DATE OF ANALYSIS	18/03/2024
	END DATE OF ANALYSIS	21/03/2024
	SAMPLING REF. / SOP NO.	HS/NABL/Air/14

DETAILS OF SAMPLE	SAMPLING DONE BY	SAMPLE CONTAINER & QUANTITY	NATURE	LOCATION
Ambient Air	Horizon Services	Plastic Bottles and Bags	-	Near Admin Building
NO. P. L.		RESULTS		
STATE OF THE PARTY	Victorial Control of the Control of	100.000 0000000000000000000000000000000	*****	

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	15&16/03/2024		
02	TEST LOCATION	1	Near Admin Building		
03	TIME OF SAMPLING	Hrs	12:45		
04	TEMPERATURE (Max./Min)	Deg C	31/24		
05	RELATIVE HUMIDITY	% RH	53	1	
06	SAMPLING DURATION	Hrs	24		
07	CO (8 Hrs)	mg/m³	0.267	≤2.0	IS 5182 (Part 10):1999 RA 2019
08	Benzene	μg/m³	BDL (<4)	≤05	IS 5182 (Part 11):2006
09	Benzo(a)Pyrene	ng/m³	BDL (<0.5)	≤01	IS 5182 (Part 12):2004

REMARKS/OBSERVATIONS: -NAAQS: - National Ambient Air Quality Standards **BDL**-Below Detectable Level

For HORIZON SERVICES

Menageinal

MANISHA NARGOLKAR (Lab Incharge)

****End of Test Report****





"Stree", K 3/4, S. No. 10. Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

* Tel.: 020 - 25460202, 25460203. 25460023. 25460023. * Email : kmn@hespt.co.in / md@hespt.co.in * www.hespt.co.in

TEST CERTIFICATE

Page 1 of 1 HS/LAB/NABL/F/7,8,2,1

		HS/LAB/NABL/F//.b.2.1
CLIENT'S NAME & ADDRESS	ULR NO.	TC7064240000019006
Grasim Industries Limited Birla Paints Division Plot No A-1, Village Kamble, Turf Birwadi, Mahad Industrial Area, MIDC, Taluka - Mahad, Raigad Maharashtra – 402309	REPORT DATE	22/03/2024
	LAB REFERENCE NO.	HS/LAB/AA/809
	SAMPLING DATE	15&16/03/2024
	SAMPLE RECEIPT DATE	18/03/2024
	START DATE OF ANALYSIS	18/03/2024
	END DATE OF ANALYSIS	21/03/2024
	SAMPLING REF. / SOP NO.	HS/NABL/Air/14

DETAILS OF SAMPLE	SAMPLING DONE BY	SAMPLE CONTAINER & QUANTITY	NATURE	LOCATION
Ambient Air	Horizon Services	Plastic Bottles and Bags	-	Near Engineering Store

			RESULTS		
SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	15&16/03/2024		
02	TEST LOCATION		Near Engineering Store	1	
03	TIME OF SAMPLING	Hrs	13:00	1	
04	TEMPERATURE (Max./Min)	Deg C	31/24		
05	RELATIVE HUMIDITY	% RH	53		
06	SAMPLING DURATION	Hrs	24		Super-state of the same
07	PM ₁₀	μg/m³	85.76	≤100	IS 5182(part 23),RA 2022
08	PM _{2,5}	μg/m ³	48.63	≤60	IS 5182(part 24), 2019
09	SO ₂	µg/m³	12.70	≤80	IS 5182(part 2),2023
10	NO ₂	µg/m³	25.93	≤80	IS 5182(part 6),2022
11	Lead	μg/m³	BDL (<0.05)	≤1.0	IS 5182(part 22) 2004 AR 2019
12	NH ₃	μg/m³	BDL (<30)	≤400	IS 5182(part 25)2018
13	Ozone	µg/m³	BDL (<5)	≤100	IS 5182(part 09)2019
14	Arsenic	ng/m³	BDL (<3)	≤06	HS/NABL/AIR/22:2011
15	Nickel	ng/m ³	BDL (<7)	≤20	IS 5182(part 26)2020

Equipment Used: - Fine Dust Sampler, Sr.No.2419 (Politech Make) Date of Calibration: -29/05/2023 Next Calibration due: -28/05/2024

REMARKS/OBSERVATIONS: -NAAQS: - National Ambient Air Quality Standards

BDL-Below Detectable Level

For HORIZON SERVICES MKNOWIGENAL

(AUTHORIZED SIGNATORY)

****End of Test Report****





"Shree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

* Tel: 020 - 25460202, 25460203, 25460023, 25460023. * Email: kmn@hespt.co.in / md@hespt.co.in * www.hespt.co.in

TEST CERTIFICATE

Page 1 of 1

CLIENT'S NAME & ADDRESS	REPORT NO.	HS/LAB/AA/19006
Grasim Industries Limited Birla Paints Division Plot No A-1, Village Kamble, Turf Birwadi, Mahad Industrial Area, MIDC, Taluka - Mahad, Raigad Maharashtra – 402309	REPORT DATE	22/03/2024
	LAB REFERENCE NO.	HS/LAB/AA/809
	SAMPLING DATE	15&16/03/2024
	SAMPLE RECEIPT DATE	18/03/2024
	START DATE OF ANALYSIS	18/03/2024
	END DATE OF ANALYSIS	21/03/2024
	SAMPLING REF. / SOP NO.	HS/NABL/Air/14

SAMPLE	SAMPLING DONE BY	SAMPLE CONTAINER & QUANTITY	NATURE	LOCATION
Ambient Air	Horizon Services	Plastic Bottles and Bags	-	Near Engineering Store

SR. NO.	TEST DESCRIPTION	UNIT	READINGS	NAAQS STANDARDS	METHOD OF SAMPLING AND ANALYSIS
01	DATE OF SAMPLING	DD/MM/YY	15&16/03/2024		
02	TEST LOCATION		Near Engineering Store		
03	TIME OF SAMPLING	Hrs	13:00		
04	TEMPERATURE (Max./Min)	Deg C	31/24		
05	RELATIVE HUMIDITY	% RH	53	1	
06	SAMPLING DURATION	Hrs	24	1	
07	CO (8 Hrs)	mg/m3	0.090	≤2.0	IS 5182 (Part 10):1999 RA 2019
08	Benzene	μg/m3	BDL (<4)	≤05	IS 5182 (Part 11):2006
09	Benzo(a)Pyrene	ng/m3	BDL (<0.5)	≤01	IS 5182 (Part 12):2004

REMARKS/OBSERVATIONS: -

NAAQS: - National Ambient Air Quality Standards

BDL-Below Detectable Level

For HORIZON SERVICES

Who and or you

MANISHA NARGOLKAR (Lab Incharge)

****End of Test Report****

sh



"Stree", K 3/4, S. No. 10, Erandawane Housing Society, Opposite Deenanath Mangeshkar Hospital, Pune 411 004.

* Tel: 020 - 25460202, 25460203, 25460023, 25460023. * Email: kmn@hespt.co.in / md@hespt.co.in * www.hespt.co.in

TEST CERTIFICATE

Page 1 of 1 HS/LAB/NABL/F/7.8.2.1

CLIENT'S NAME & ADDRESS	ULR NO.	TC7064240000019007
Grasim Industries Limited	REPORT DATE	22/03/2024
Birla Paints Division	LAB REFERENCE NO.	HS/LAB/AA/809
Plot No A-1, Village Kamble, Turf	SAMPLING DATE	15/03/2024
Birwadi, Mahad Industrial Area, MIDC, Taluka - Mahad, Raigad Maharashtra - 402309	SAMPLE RECEIPT DATE	18/03/2024
	START DATE OF ANALYSIS	18/03/2024
	END DATE OF ANALYSIS	21/03/2024
	SAMPLING REF. / SOP NO.	HS/NABL/AIR/15

DETAILS OF SAMPLE	SAMPLING DONE BY	SAMPLE CONTAINER & QUANTITY	NATURE	LOCATION	
Stack Emission Horizon Services		Plastic Bottles & Bags		D.G. Set (125 KVA)	

SR. NO.	DESCRIPTION	UNIT	RESULT	LIMITS	TEST METHOD REFERENCE
01	DATE OF SAMPLING	DD/MM/YY	15/03/2024		
02	TEST LOCATION	300000000000000000000000000000000000000	D.G. Set (125 KVA)		
03	TIME OF SAMPLING (00.00)	Hrs	10:35		
04	MATERIAL OF STACK	Vertical III	MS		
05	STACK HEIGHT FROM G.L.	Mtr	2.9		
06	TYPE OF STACK		Round		
07	FLUE GAS TEMPERATURE	Deg K	411		
08	DIFFERENTIAL PRESSURE	mm WG	1.9		
09	VELOCITY	M/Sec	5.71		
10	DIAMETER OF STACK	M	0.1		
11	STACK AREA	M ²	0.0079		
12	GAS VOLUME	NM3/Hr	117.09		
13	SUSPENDED PARTICULATE MATTER	mg/NM ³	35.13	As per Consent	IS 11255 (Part 1):2019
	SO ₂	mg/NM ³	41.82		
14	SO ₂	Kg/Day	0.12	As per Consent	IS 11255 (Part 2):2019
15	NOx	ppm	49	N.S.	IS 11255 (Part 7):2012

Equipment Used: -1) Stack Monitoring Kit, Sr.No. 07/2018 (ETCL model) Date of Calibration: -07/08/2023 Next Calibration due: - 06/08/2024 REMARKS/OBSERVATIONS: -

N.S.: - Not Specified

For HORIZON SERVICES

(AUTHORIZED SIGNATORY)

****End of Test Report****

Excellent Enviro Laboratory & Research Center Pvt.

(Formerly known as Excellent Enviro Laboratory & Research Center)
Master in "Water & Waste Water Treatment, Monitoring," Testing & Environmental Compliance

Format No. EELRC/LAB/F/074-7.8

WORKPLACE NOISE MONITORING REPORT

Client's Name & Address	Sample ID.	EEL/ABD/N-161 to N- 165/12/2023-24
M/s Grasim Industries Limited Birla Paints Division Plot No A-1, Village Kamble, Turf Birwadi, Mahad Industrial Area, MINC Tabaka Mahad, Bajond	Date of Reporting	27/12/2023

SAMPLING DETAILS

01) Location of Sampling	As Listed Below in the Table.			
02) Sampling Procedure	18 4758			
03) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd.			
04) Date of Sampling	19/12/2023			
05) Time of Sampling	10:40 AM to 18:40 PM			
,	Make	MECO		
Section Control Control	Serial No	DB-01		
06) Instrument Details	Calibration Date	Calibration On: 22/09/2023 Due Ou: 21/09/2024		

DESIGN TO

200	Test Location	LD. No.	UOM	Average Noise Level Readings		Limit as per Maharashtra Factories Rules.
Sr.No.				Day	Night	1963.
1	Batching Plant	N-161	dB(A)	60.0	56.0	90 dB(A)
2	RM Parking	N-162	dB(A)	61.4	55.0	
3	RB	N-163	dB(A)	62.8	58.3	
4	EB	N-164	dB(A)	63.6	58.5	
5	WPB & SPB	N-165	dB(A)	59.5	55.8	

UOM - Unit of Measurement

Remark: Noise level is within normal limits as per Maharashtra Factories Rules, 1963.

(Ms.Dhamanahila Narwade) (Dy. Technical Manager)

Authorized Signatory

(Mr.Sagar Jare) (Quality Manager)



Terms and Conditions

This Report is salid for tested sample only

The results shown in this test report may differ based on various factors orchiding temperature, building pressure, retention time etc.

The test report cannot be reproduced wholly ut as part and cornect be used for paramoternal or publicity purpose without the written corners of laboratory, EFLRCPL

AN ENVIRONMENTAL LABORATORY RECOGNISED UNDER EPA, ENVIRONMENT FOUTER THOM ZET BY DIVERS & CC) MINISTRY OF ENVIRONMENT FOREST & CLIMATE CHANG

REGISTERED OFFICE: D-52/1X MEX. Was, Chr. Sonthaginger (Aurargidad) - 431 136 or 0240-6641979 a 99704;99917 7145069991

info@excellentervito.com/sales@jexcellentervitu.com Email: eelab@excellentenviro.com

Dhowalgiri Co. op. Hog. Society, Building No. I. Flat No. B.-3. Near Peace Paris Hond. Thuna Nato. Pareel - 410 206 s. 08652671991

Email: kalyan@excellentensiro.com/ mumbaisales@excellentensiro.com

PUNE OFFICE: B' zune 410-41. 4th floor, Near Vuey Sales, Pune Mumbai Road, Chinchwad, Pune 411019 x 7447439991 Email: punesales@excellentemoro.com

Website: www.eelab.in/ www.excellentenviro.com