

November 29, 2021

No. 1728/Env-SFD/MOEF/RO/BPL/EC-SFD

Director
Ministry of Environment, Forest and Climate Change,
Regional Office (WZ),
E-5, Kendriya Paryavaran Bhawan,
E-5 Arera Colony, Link Road-3,
Ravishankar Nagar,
Bhopal – 462016

Sub: Submission Environment Clearance Compliance Report for the period from April 2021 to September 2021 for Grasim Industries Limited, Staple Fibre Division, P.O. Birlagram, Nagda, District Ujjain – 456 331, M.P.

Ref: Environment Clearance Issued vide File No. J-11011/322/216-IA-II (I) dated 29.05.2020

Dear Sir,

This has reference to above cited environment clearance & condition prescribed therein and provisions of Section 10 of EIA Notification, dated 2006.

We are enclosing with this letter Six Monthly point wise Environment Clearance Compliance Report along with data sheet and summary of monitoring results for the period from April - 2021 to September - 2021 of Grasim Industries Limited, **Staple Fibre Division** as per Environment Clearance received dated 29.05.2020.

We would like to inform you that the project expansion activity related to EC Issued vide File No. J-11011/322/216-IA-II (I) dated 29.05.2020 has not been started due Covid-19 Pandemic and associated sluggish market demand.

We are also sending the compliance report to MoEF&CC Regional Office, Bhopal through e-mail address on rowz.bpl-mef@nic.in.

Hope you will find the information provided in order, we shall be happy to furnish further details / clarifications, if required.

Thanking you, Yours faithfully,

1 mail

K Suresh

Sr. President & Unit Head

CC:

- 1. Ministry of Environment Forest & Climate Change, New Delhi
- 2. Central Pollution Control Board, Zonal Office, Bhopal
- 3. Madhya Pradesh Pollution Control Board Bhopal

Enclosed: As Above

Grasim Industries Limited

SIX MONTHLY COMPLIANCE REPORT OF ENVIRONMENT CLEARNACE FOR

GRASIM INDUSTIRES LIMITED, (STAPLE FIBER DIVISION)

BIRLAGRAM, NAGDA – 456 331

DIST. UJJAIN (M.P.)



Submitted to:

Ministry of Environment Forest & Climate Change, (WR Office) Bhopal

Ministry of Environment Forest & Climate Change, New Delhi

Central Pollution Control Board, Zonal Office, Bhopal

Madhya Pradesh Pollution Control Board - Bhopal

Submitted by:

Grasim Industries Limited, (Staple Fiber Division)

Birlagram, Nagda – 456 331

District: Ujjain (M.P.)

Period: APRIL 2021 – SEPTEMBER 2021

Submitted on: 1 DECEMBER 2021

Compliance Status Report for "Environment Clearance" accorded by MoEF & CC for Grasim Industries Limited, Staple Fiber Division, Birlagram, Nagda – 456 331 (M.P.)

Contents

Sr. No.	Title	Page No.
1	Introduction	1
2	Compliance Status of Environment Clearance for Grasim Industries Limited, Staple Fiber Division, Birlagram, Nagda – 456, 331	2 - 18

Compliance Status Report for "Environment Clearance" accorded by MoEF & CC for Grasim Industries Limited, Staple Fiber Division, Birlagram, Nagda – 456 331 (M.P.)

List of Annexures

Exhibit -1	Communication of ZLD completion to MPCB, CPCB & MoEFCC
Exhibit -2	Hazardous waste generation report
Exhibit -3	Green Belt
Exhibit -4	Display Board for CAAQMS
Exhibit -5	Ambient air quality monitoring results of Grasim (SFD, EFD & CPP) for Last Six Months
Exhibit -6	Details of Environment Cell
Fyhihit -7	Advertisement in local newspaper for environment clearance

Compliance Status Report for "Environment Clearance" accorded by MoEF & CC for Grasim Industries Limited, Staple Fiber Division, Birlagram, Nagda – 456 331 (M.P.)

Introduction

- 1. Grasim Industries Limited (GIL), incorporated on 25th Aug., 1947; is a flagship company of the Aditya Birla Group and India's pioneer in manufacturing of Viscose Staple Fibre (VSF) a man-made, biodegradable fibre with characteristics akin to cotton.
- 2. M/s. Grasim Industries Ltd. has four VSF Plants in India which are located at Nagda (Madhya Pradesh), Harihar (Karnataka), Kharach & Vilayat (Gujarat).
- 3. 25 MW & 40 MW Thermal Power Plant is coal based thermal power plant located at Birlagram, Nagda.
- 4. All the operation related permits, including Environmental Clearance from MOEF & CC and Consents to Establish (CTE) & Consent to Operate (CTO) has obtained from M.P. Pollution Control Board, Bhopal are in place.
- 5. Environmental quality monitoring in & around the Plant site is being carried out by M.P. Pollution Control Board & in-house Laboratory on a regular basis.
- 6. 03 No. of Continuous Ambient Air Quality Monitoring Stations (CAAQMS) along with other Environmental Parameter from Grasim Complex (SFD, EFD & CPP) displayed on LED Board at main gate of the Plant Premises.
- 7. Online Continuous Emission Monitoring System (CEMS) is installed at stack and connected with M.P. Pollution Control Board and CPCB, New Delhi.
- 8. Online Continuous Effluent Quality Monitoring System (CEQMS) is installed and connected with M.P. Pollution Control Board and CPCB, New Delhi.
- 9. A vast green belt is developed to curb the emission and also to improve environmental conditions in & around Grasim complex.
- 10. Point wise compliance status of Environmental Clearance for Grasim Industries Limited, Staple Fibre Division, Birlagram, Nagda is furnished herewith;

Environment Clearance (Grasim Industries Limited, Staple Fibre Division)

MOEF Ref. F. No. J11011/322/2016-IA (II) (I) dated 29.05.2020

A. Specific Conditions

Sr. No.			Conditio	n		Compliance Status
1.0	IA/M	has reference IP/IND2/5885 For environrect.	66/2016 da	ated 27th	December	Noted
2.0	The Ministry of Environment, Forest and Climate Change has considered the proposal for environmental clearance to the project for expansion of viscose Staple Fibre (144175 TPA to 233600 TPA), Sulphuric Acid (147825 TPA to 220825 TPA), Captive Power Plant (30 MW TO 55 MW) along with production of Solvent Spun Cellulosic Fibre (36500 TPA) by M/S Grasim Industries Ltd. (Staple Fibre Division) in an area of 196.08 at Village Mehatwas, Birlagram, Tehsil Nagda, District Ujjain (Madhya Pradesh).		oposal for oroject for 175 TPA to 125 TPA to 30 MW TO olvent Spun 1/S Grasim in an area ram, Tehsil	Noted		
3.0		details of exis	sting / pro	posed pr	roducts are	Noted
	Sr.	Name of Products (Units)	Existing	Additi onal	Total	
	1	Viscose Staple Fibre (TPA)	144175	89425 *	233600	
	2	Solvent Spun Cellulosic Fibre (Excel Fibre)	Nil	36500	36500	

Sr. No.	Condition			n		Compliance Status
	3	Sulphuric Acid (TPA)	147825	73000	220825	
	4	Carbon- Disulphid e (TPA)	31025	No chang e	31025	
	5	Sodium Sulphate (By- Product) (TPA)	93714	67500	161214 **	
	6	Captive Power Plant (MW)	30	25	55	
	TPA; and ** T 1868	t of the propo 16425 TPA w 73000 TPA by Total Capacity 314 TPA dep	ill be done installation may va pending o	by Deboon of new ry from n the re	ttlenecking machines. 161214 to ecovery of	
4.0	No.(i					Noted and shall be complied during the project
4.0	Existing land area is 196.08 ha, out of which 127.53 ha is Plant & Colony area and remaining 68.55 ha is captive air strip and other facilities outside the plant premises. No additional land will be required for proposed expansion. Green belt has already developed in an area of 77.04 ha out of total plant area i.e. 127.53 ha. The estimated project cost for expansion is Rs.2500 Crores. Total capital cost earmarked towards environmental pollution control measures is RS.123 Crores and the recurring cost (operation and maintenance) will be about Rs. 24 Crores/annum. Total Employment after expansion will be 6486 persons as direct and 500 persons indirect after expansion.			area and oth and oth No addited expansion in an are i.e. 127 expansion earmarke ontrol maring cost be about mployme ons as directions as direction and other than the cost of the about mployme ons as direction and other than the cost of the about mployme ons as direction and other than the cost of the about mployme ons as direction and other than the cost of the about the about the cost of the about the about the cost of the about the cost of the about the abo	remaining er facilities tional land sion. Green ea of 77.04 63 ha. The is Rs.2500 ed towards leasures is (operation et Rs. 24 ent after	expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA)

Sr. No.	Condition	Compliance Status
5.0	There is no National Park, Wildlife Sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves and Wildlife Corridors etc. within 10 km. Dam on Chambal River (adjacent to plant site in W direction), Chambal River Flow at 0.1 km in West and Bangeri Nadi flow at 1 km in West.	Noted
6.0	Total water requirement after expansion will be 49158 m3/day of which fresh water requirement of 15450 m3/day is being /will be met from Chambal River and remaining 33708 m3/day is being /will be met from Recycled water. Effluent of 12500 m3/day quantity is being/will be treated in Effluent Treatment Plant. The plant will be based Zero Liquid discharges system after January, 2021. The committee suggested to achieve ZLD with this expansion project, PP agreed with it. Power requirement after expansion will be 55 MW including existing 30 MW and will be met from Captive Power plant (55 MW). Existing unit has 3 nos. 75 TPH (each) coal fired boilers. Additionally, 2 nos. 100 TPH (each) coal fired boilers will be installed. ESP with stack height of 125 m will be installed for controlling the particulate emission within the statutory limit for proposed boilers.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA). As per the letter received from CPCB Number B-29016/04/06/IPC-1 dated 27/01/2021 and Letter received from MPPCB number 235/PCB/TAK/2021 dated 22/01/2021, the timeline for completion of the ZLD project is extended from January 2021 to June 2021 and further three months for trial run. we have completed the ZLD project as per stipulation given by MPPCB. We have communicated to MPPCB, CPCB& MoEFCC IRO, Bhopal, regarding the ZLD commissioning. Acknowledgement copy of communication is enclosed as Exhibit - 1
A7.0	The project/activity is covered under category A of item 5(d) 'Manmade Fibre manufacturing unit and 1 (d) 'Thermal Power plant' of the schedule to the Environment Impact Assessment (EIA) Notification, 2006 under category 'A' and requires appraisal /approval at Central level in the Ministry.	Noted.
8.0	The terms of reference (ToR) for the project was granted by the Ministry on 17 th February, 2017. Public Hearing for the proposed expansion project was conducted by State Pollution Control Board on 5 th September,2019. The public hearing was chaired by the ADM, Ujjain. The main issue raised during the public hearing	Noted.

Sr. No.	Condition	Compliance Status
	is related to Employment, Environmental (Air & Water) pollution, effluent discharge, CSR etc. The project proponent has submitted the action plan on the issues raised during PH. The Committee deliberated the action plan and found in order.	
9.0	The proposal was considered by the sectoral Expert Appraisal Committee (Industry-2) in its meeting held on 21-23 January ,2020 wherein the project proponent and their accredited consultant presented the EIA/EMP report. The Committee found the EIA/EMP report complying with the ToR and recommended the project for grant of environmental clearance.	Noted.
10.0	The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the project proponent in desired form. The EAC noted that the project proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data /information submitted is found to be false/misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.	Noted.
11.0	The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have recommended for grant of Environmental Clearance (EC).	Noted.

Sr.	Condition	Compliance Status
No.		
12.0	The Committee noted that the EIA/EMP report is in compliance of the ToR issued for the project, reflecting the present environmental concerns and the projected scenario for all the environmental components. The EAC found the additional information submitted by the project proponent to be satisfactory.	Noted.
13.0	Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2) Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for expansion of Viscose Staple Fibre (144175 TPA to 233600 TPA), Sulphuric Acid (147825 TPA to 220825 TPA), Captive Power Plant (30 MW TO 55 MW) along with production of Solvent Spun Cellulosic Fibre (36500 TPA) by M/S Grasim Industries Ltd. (Staple Fibre Division) in an area of 196.08 at Village Mehatwas, Birlagram , Tehsil Nagda , District Ujjain (Madhya Pradesh) under the provision of the EIA Notification, 2006, and the amendments therein , subject to compliance of the terms and conditions as under:-	Noted.
A. Spec	ific Conditions	
(i)	The Environmental clearance is subject to the final outcome of Hon'ble Supreme Court of India ,Hon'ble High Court, Hon'ble NGT any other Court of Law, if any, as may be applicable to this Project.	Noted.
(ii)	Necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution control Board.	 Industry is complying the conditions laid down by state pollution Control Board and has valid consents & authorization issued by M.P. Pollution control board; Consent under The Water (Prevention and Control of Pollution) Act, 1974 issued vide Letter No. AW-50369 dated 02.09.2019 valid up to 21.09.2022. Consent under The Air (Prevention and Control of Pollution) Act 1981 issued vide letter No.

Sr.	Condition	Compliance Status
No.		
		AW-50369 dated 02.09.2019 valid up to 21.09.2022.
(iii)	As already committed by the project proponent, Zero Liquid Discharge (ZLD) shall be ensured and to be completed by December 2021. However, it is subject to outcome of recommendation of the committee constituted to review norms of ZLD	As per the letter received from CPCB Number B-29016/04/06/IPC-1 dated 27/01/2021 and Letter received from MPPCB number 235/PCB/TAK/2021 dated 22/01/2021, the timeline for completion of the ZLD project is extended from January 2021 to June 2021 and further three months for trial run.
		we have completed the ZLD project as per stipulation given by MPPCB. We have communicated to MPPCB, CPCB& MoEFCC IRO, Bhopal, regarding the ZLD commissioning.
		Acknowledgement copy of communication is enclosed as Exhibit - 1
(iv)	PP Shall conduct the study regarding the pollution in the Chambal River and take necessary mitigation measures.	Noted. We have started study of the Ground water and water quality of downstream villages. Also study of health of villagers in downstream of Chambal river as per the direction received from MPPCB.
(v)	Necessary authorization required under the hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 ,Solid Waste Management Rules, 2016 shall be obtained and the provision contained in the Rules shall be strictly adhered to.	Hazardous Waste Authorization obtained from M.P. Pollution Control Board and has validity up to 30.04.2022. M.P. Pollution Board has issued Hazardous Waste Authorization vide consent No. AWH-47044, Outward No:55214, dated 10/06/2017Hazardous waste generation details for the existing plant is enclosed as Exhibit – II for the period July -September 2021.

Sr. No.	Condition	Comp	oliance Status	
(vi)	To control source and the fugitive emission, suitable pollution control devices shall be installed to meet the prescribed norms and/ or the NAAQS. The gaseous emission shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	There is no source of from manufacturing chemicals, we have arrangements to avoid no chemical being emission. However, have been taken for so Pit and pump for recomparty on monthly barresults are within result of period July under;	process. During provided all the bid fugitive emissing used to created all precautionary storage of chemical control of dust is monitons as for the existing stipulated norm.	handling of e necessary on. There is ate fugitive y measures als i.e. Dyke, red by Third ng plant and ms. Average
		Area	Std. μg/m3 (24hrs)	Total Dust μg/m3
		Pulp Storage	500	52
		Coal Storage Area	500	50
		VSF Mill-01	500	36
		Acid Plant	500	33
		CS2 Plant	500	49
		VSF Mill-02	500	53
		Fibre Storage Area	500	39

A. SPECIFIC CONDITIONS

Sr. No.	Stipulation	Compliance Status
(vii)	Solvent management, if any, shall be carried out as follows: a) Reactor shall be connected to chilled brine condenser system. b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. c) The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 98% recovery. d) Solvents shall be stored in a separate space specified with all safety measures. e) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. f) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(viii)	Total fresh water requirement shall not exceed 15450 m3/day proposed to be met from Chambal river. Prior permission in this regard shall be obtained from the concerned regulatory authority.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(ix)	Rain water harvesting structures shall be provided to reduce dependency of fresh surface water for industrial purpose. In any case, no ground water shall be used for the plant.	Rain Water Harvesting system has been installed, one at roof top at ABPSS having 200m2 area and other in Excel plant roof top having 500m2. Total water harvesting for FY-21 was 480m3. No Ground water is being utilized in the plant.
(x)	The storm water from the premises shall be collected and discharged through a separate conveyance system.	Being complied in the existing plant.
(xi)	Hazardous chemicals shall be stored in tanks, tanks farms, drums, carboys etc. Flame arresters shall be provided on tank farm, and solvent transfer through pumps.	For the existing plant, we are using Hydrochloric Acid and Sodium Hydroxide, storage for which dyke, Pit, Pump for Recycling has been provided.

Sr.	Stipulation	Compliance Status
No.		
(xii)	ETP Sludge , process inorganic & evaporation salt shall be disposed through Captive Secured Land fill.	Organic ETP sludge is fired in boiler and inorganic sludge sent to Cement industry as per granted authorization. ETP inorganic sludge sent to cement
		industry for co-processing is enclosed as Exhibit - 2 for the period July-September 2021.
(xiii)	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA)' 1989.	We are using Hydrochloric Acid and Sodium Hydroxide, storage for which dyke, Pit, Pump for Recycling has been provided in case spillages take place. All the relevant provision of Motor Vehicle Act (MVA), 1989 is being strictly complied during the transportation of hazardous chemicals.
(xiv)	The company shall undertake waste minimization measures as below :-	For the existing plant-
	 a) Metering and control of quantities of active ingredients to minimize waste. 	a) Measurement of quantities is being done through controlled Programmable Logic Controller (PLC).
	b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.	b) Solvent Spun Cellulosic Process is having no by-products.
	other processes. c) Use of automated filling to minimize spillage.	c) Plant is being operated through Programmable Logic Controller (PLC).
	d) Use of closed feed system into batch reactors.	d) We are having continuous process of manufacturing with closed feed system.
	e) Venting equipment through vapour recovery system.	e) There is no process vents in the Excel plant. Hence there is no solvent vapor recovery. In VSF plat the solvent vapor recovery is not applicable.
	 f) Use of high pressure hoses for equipment clearing to reduce wastewater generation. 	f) We are using of high pressure hoses for equipment cleaning.
(xv)	The green belt of at least 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind	Regular plantation activities have been done, About 60% of the Grasim Complex is having Green Belt and Green Cover.

Sr. No.	Stipulation	Compliance Status
	direction, and along road sides etc. Selection of plant species shall as per the CPCB guidelines in consultation with the State Forest Department.	Glimpse of plantation in the complex and details of land use is enclosed in Exhibit - 3
(xvi)	2.0 Lacs trees shall be planted around the vicinity of the plant and their status report should be submitted along with the certified compliance report.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(xvii)	As proposed and committed by the PP, Rs. 25 crores shall be allocated for Corporate Environment Responsibility (CER). The CER funds shall be utilized for greenbelt development, skill development and check dam construction, as suggested during public hearing. The CER plan shall be completed before commissioning of the project.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(xvii)	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulating and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Organization do not have any DG Set.
(xix)	The unit shall make the arrangement for protection of possible fire hazardous during manufacturing process in material handling. Firefighting system shall be as per the norms.	Complete firefighting system is already in place SFD along with fire hydrant system for manufacturing and storage of raw material.
(xx)	Storage of Raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	All raw materials are having designated covered godown and also covered with tarpaulin.
(xxi)	Continuous online (24x7) monitoring system for stack emission shall be installed for measurement of fuel gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SOCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Industry has installed OCEMS to all stacks and connected to MPPCB surveillance center Bhopal. We have also provided connectivity of OCEMS installed at stacks of thermal power plant to CPCB. Industry has installed PTZ cameras at discharge point,
		we have completed the ZLD project as per stipulation given by MPPCB. We have communicated to MPPCB, CPCB& MoEFCC

Sr.	Stipulation	Compliance Status
No.		
		IRO, Bhopal, regarding the ZLD commissioning.
		Acknowledgement copy of communication is enclosed as Exhibit - 1
(xxii)	The energy source for lighting purposes shall preferably be LED based.	The energy source for lighting purposes is LED based both for street light and in plant premises.
(xxiii)	Transportation of Hazardous materials / products should be carefully performed using GPS enabled vehicles.	For transport of hazardous material we are engaging those transporter having valid authorization and GPS enabled vehicle.
(xxiv)	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per the Factories Act.	Regular health check-up of workers and management staff is being done and records are being maintained.
	PP shall submit the six monthly compliance report to the Regional Office of the Ministry.	Noted and being complied.
(xxv)	PP shall conduct advanced modelling for risk management and mitigation measures as the flammable and hazardous chemicals are being stored and processed in the plant. PP shall conduct a study comprise the details of detectors and its locations and outcome of the study shall be implemented and the compliance shall be submitted six monthly to the Regional Office of the Ministry.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(xxvi)	No construction shall be carried out in dispute land.	Noted and being complied.

B. GENERAL CONDITIONS

Sr. No.	Stipulation	Compliance Status
(i)	The Project Proponent shall obtain all other statutory /necessary permissions /recommendations/NOCs prior to start of construction / operation of the project, which inter alia include, permission/approvals under the Forest (Conservation) Act, 1980; the wildlife (Protection) Act,1972; the Coastal Regulation Zone Notification, 2019 , as amended from time to time , and other office Memoranda/Circular issued by the Ministry of Environment, Forest and Climate Change from time to time , as applicable to the project.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(ii)	The project proponent shall ensure compliance of 'National Emission Standards', as applicable to the project, issued by the Ministry from time to time. The project proponent shall also abide by the rules/regulations issued by the CPCB/SPCB for control/abatement of pollution.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(iii)	The project authority shall adhere to the stipulations made by the State Pollution Control Board/Committee, Central Pollution Control Board, State Government and any other statutory authority.	Acknowledged
(iv)	The project proponent shall prepare a site specific conservation plan and wildlife management plan in case of the presence of Schedule-1 species in the study area, as applicable to the project, and submit to Chief Wildlife Warden for approval. The recommendations shall be implemented in consultation with the State Forest/Wildlife Department in a time bound manner.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(v)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments shall be carried out without prior approval of the Ministry of Environment and forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the	Noted

Sr.	Stipulation	Compliance Status
No.		
	adequacy of conditions imposed and to add additional environmental protection measures required, if any	
(vi)	The energy source for lighting purposes shall preferably be LED based or advance having preference in energy conservation and environment betterment.	The energy source for lighting purposes is LED based for both street light and in existing plant premises.
(vii)	The locations of ambient air quality monitoring station shall be decided in consultation with State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	We have installed 03 (Three) Continuous Ambient Air Quality Monitoring System for Grasim SFD, EFD & CPP in consultation with M.P. Pollution Control Board and display of the same is being provided on LED Display Board installed at Factory Gate for general public. Image of the display board is enclosed as Exhibit - 4 We have also installed four Ambient Air Quality Monitoring Station in all four directions (Grasim premises that includes SFD, EFD & CPP) in consultation with CPCB & MPPCB. We are regularly monitoring the ambient air quality and report is being sent regularly to CPCB, MPPCB and Regional Office of MOEF. Monitoring results are well below the prescribed standards; report of the reporting period as Exhibit - 5.
(viii)	The National Ambient Air Quality Emission Standard issued by the Ministry vide G.S.R No. 826 (E) dated 16 th November 2009 shall be followed.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(ix)	The overall noise levels in an around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all source of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules,1989 viz.75 dBA (day time) and 70 dBA (night time).	All the necessary noise control measures such as Acoustic Enclosure, Silencer, Vibration Pad, and Variable Frequency Drive have been adopted wherever required. Ambient Noise Level shall confirm the prescribed standards. Ambient Noise Level (dBA) is measured by Third party and average results for the

Sr. No.	Stipulation	Compliance Status
		period July 21 to September 21 is tabulated as under;
		Area Day Night
		Norms 75 70
		Occupational 71 62 Health Centre
		Plant Colony 52 43
		Durgapura 52 46
		Plant Site (Mill-2) 69 67
		Nagda Town 61 49 Plant Periphery Out side (Factory 66 59
		Main Gate) Plant Periphery Out side (Colony 61 55 Main Gate)
(x)	The company shall harvest rain water from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for the process requirements.	Rain Water Harvesting system has been installed.
(xi)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Preemployment and routine periodic medical	Training is being imparted to all employees for Safety and health aspect for chemical handling.
	examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Pre-employment and routine medical examination is carried out for all workman and management staff and records are being maintain.
(xii)	The company shall also comply with all the environmental protection measures and safeguard proposed in the documents submitted to Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures related to the project shall be implemented.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(xiii)	The company shall undertake all relevant measures for improving socio-economic conditions of the surrounding area. CSR activities shall be undertaken	For the existing plant CSR activities are our regular practice for improvement in socio-economic conditions of the surrounding area. Other than operating two hospitals

Sr. No.	Stipulation	Compliance Status
	by involving local villages and administration and shall be implemented.	and three senior secondary schools, various activities are being held in adjoining villages. Total no of beneficiaries for these activities in last year (FY 2020-21) is 4.50 Lacs with annual expense of Rs. 9.07 Crores.
(xiv)	The company shall undertake eco-developmental measures including community welfare measure in the project area for the overall improvement of the environment.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(xv)	A separate Environment Management Cell (having qualified person with Environmental science/Environmental Engineering/ specialization in project area) equipped with full-fledged laboratory facilities shall be setup to carry out the Environmental Management and Monitoring functions.	A separate Environment Cell already exists with technically qualified personnel, who are under the control of Senior Executive. Organogram of Environment Cell is enclosed as Exhibit - 6
(xvi)	Company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(xvii)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad / Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Copy of the clearance letter has been given to concern authority and also placed on company website for general public.
(xviii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environment Clearance conditions including results of monitored data (both hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environment Clearance and six monthly compliance	Noted and being complied.

Sr. No.	Stipulation	Compliance Status
	status reports shall be posted on the website of the company.	
(xix)	The environment statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environment clearance conditions and shall also be sent to the respective Regional Office of MoEF &CC by e-mail.	We are regularly submitting Environment Statement before 30th September every year to the board. Also the soft copy of Environment Statement is uploaded in XGN MPPCB web site.
(xx)	The project proponent shall inform the public that the project has been accorded environment clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of Ministry at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Acknowledged copy of the letter sent to Regional office along with advertised paper cutting is enclosed. Exhibit - 7
(xxi)	The project authorities shall inform the Regional office as well as the Ministry, the date of financial Closure and final approval of the approval of the project by the concerned authorities and the date of start of the project.	Noted and shall be complied during the project expansion of viscose staple fibre, sulphuric acid, captive power plant along with production of Solvent Spun Cellulosic Fibre (36,500 TPA).
(xxii)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and other Court of Law, if any, as may be applicable to this project.	Noted.
13.0	The Ministry reserves the rights to stipulate additional conditions, if found necessary at the said condition in a time bound. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.

Sr. No.	Stipulation	Compliance Status
14.0	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
15.0	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted
16.0	The above conditions will be enforced, inter-alia under the provision of the Water (Prevention & control of pollution) Act-1974, the Air (Prevention & control of pollution) Act-1981, the Environment (Protection) Act, 1986, the Hazardous waste (Management, Handling & Transboundary Movement) Rules-2003 and the Public Liability Insurance Act-1991 along with their amendments and rules.	We are following terms & conditions MPPCB Consent under Air Act & Water Act and authorization under Hazardous Waste Rules. Consent under The Water (Prevention and Control of Pollution) Act, 1974 issued vide Letter No. AW-50369 dated 02.09.2019 valid up to 21.09.2022. M.P. Pollution Board has issued Hazardous Waste Authorization vide consent No. AWH-49579, Outward No: 88150, dated 18/02/2019 valid up to 30.04.2022.
17.0	This issues with the approval of the competent authority.	Noted.

Exhibit-1



September 30, 2021 Ref: 1706/Env-SFD/PCB/BPL/ZLD

To, The Member Secretary, M.P. Pollution Control Board, Paryavaran Parisar, E-5 Arera Colony, Bhopal - 462016

Sub: Completion of Installation and commissioning of Zero Liquid Discharge (ZLD) plant.

Ref: 1. Your Letter No.235/PCB/TAK/2021 dated 22.01.2021 to CPCB

- 2. Letter No. B-29016/04/06/IPC-I/16563 dated 01.03.2021 from CPCB
- 3. Our letter number Ref: 1680/Env-SFD/PCB/BPL/ZLD dated 30.06.2021
- MOM SI. No.2306/PCB/TAK/2021 dated 15.09.2021

Respected Sir,

In reference to the above cited subject and letters, we are pleased to inform you that the industry has successfully commissioned the zero liquid discharge plant.

At this juncture we would like to thank MPPCB, CPCB & MoEF for the guidance and support for the project.

In lieu of the start-up of zero liquid discharge plant, the following changes may please be noted:

- The Continuous Effluent Quality Monitoring Station (CEQMS) data will not appear in MPPCB & CPCB server and the visual electronic display board at the plant gate.
- The PTZ camera of effluent view glass, effluent discharge point and discharge drain will remain as operational till the next instruction received from MPPCB.

Hope you will find the same in order.

Thanking you, Yours faithfully, For Grasim Industries Limited (Staple Fibre Division)

(K. Suresh)

Sr. President & Unit Head

Copy to:

- 1. Mr. Dinabandhu Gauda, Additional Director & Divisional Head, IPC-1, CPCB, Parivesh Bhavan, East Arjun Nagar, Delhi-110 032.
- 2. Director, MoEF & CC, Regional office (WZ), E-5 Arera Colony, Bhopal 462 016
- 3. Regional Officer, M.P. Pollution Control Board, Ujjain, Pin 456 010 4. CPCB, Bhopal (Central 2020), Rhopal - 462001

CIN: L17124MP1947PLC000410 Website: www.adityabirta.com E-mail: grasim-std.nagda@adityabirta.com ud जिल्ली Birtagram - 456 331, Nagda (M.P.) INDIA Tele: +91 7366 246760-64 Fax: +91 7366 246024 24414 Ministry of Environment, Forest & Crimate Change ।यांवरण, वन एवं जलवानु कारत अपकार भोपाल/Gov! ा India Phone




Exhibit- 2

4 5 18 8 8



October 9, 2021

Ref.: 1716 /Env-SFD/PCB/BPL/Report

The Member Secretary
M.P.Pollution Control Board
Paryawaran Parisar
E-5, Arera Colony
Bhopal (M.P.)

Sub: Hazardous Waste Generation Report for the period of Jul-2021

to Sep-2021

Ref: Terms and Conditions of Authorisation under Point # 10.

Dear Sir,

Thas has referance to Consent No. AWH-47044 issued dated 10.06.2017, Consent No. WH-44868/MPPCB/UJJ issued dated 16.11.2015, AWH-44275/HO/PCB/UJJ issued dated 11.12.2015 and Consent No. AWH-49579 issued dated 18.02.2019 for Staple Fibre Division, 25 MW Thermal Power Plant, 40 MW Thermal Power Plant and Excel Fibre Division Respectively.

Please find enclosed Hazardous Waste Generation and its analysis report for the period from Jul-2021 to Sep-2021.

Thanking you,

Yours faithfully,

Rakesh Patnaik General Manager

cc : The Regional Officer M.P.Pollution Control Board 17, Bharatpuri Ujjain (M.P.) - 456 010 Grasim Industries Limited Staple Fibre Division Birlagram, Nagda

Sr. No.	Name	Waste	Unit	Quantity as per	Ge	Generated Quantity During	uantity E	Juring	Typical Analysis
				Authorization		Jul-2021 to Sep-2021	to Sep-20	121	
	Waste Generated	Category		(per year)	Jul	Aug	Sep	Total	
	Used or Spent Oil	5.1	kgs	10000	Ē	ž	Ē	0	Enclosed As Annexure-1
2	Process acidic residue, filter cake, dust (Hard Mass)	17.1	₩	324	56.54	36.50	51.15	144.19	Enclosed as Annexure-2
ei ei	Spent Ion exchange resin containing toxic metals (Used Resin)	35.2	kg\$	7000	Ē	Ē	Ē	Þ	Enclosed As Annexure-3
4	Spent Catalyst (V2O5)	17.2	kgs	10000	Ž	₹	4.84	4.84	Enclosed As Annexure-4
ъ.	Chemical Sludge from waste water treatment (Gypsum from ETP)	35.3	MT	7300	406.21	406.21 712.04 746.01	746.01	1864.26	Enclosed as Annexure-5
9	Wastes or residues containing oil	5.2	kgs	1000	Ī	Ē	Ī	0	Waste cotton / fibre containg oil

Grasim Industries Limited 25 MW Thermal Power Plant Bírlagram, Nagda

			Ĭ						
رد د <u>ک</u> ون	Nаme	Waste	Unit	Quantity as per	Gel	Generated Quantity During	uantity D	uring	Typical Analysis
				Authorization		Jul-2021	Jul-2021 to Sep-2021	121	
	Waste Generated	Category		(per year)	Juj	Aug	Sep	Total	
- 5	Used or Spent Oil	5.1	kgs	9009	Ž	₹	₹	0	Enclosed as Annexure-1

Grasim Industries Limited 40 MW Thermal Power Plant Birlagram, Nagda

Sr. No.	Name	Waste	Unit	Quantity as per	Gel	Generated Quantity During	uantity 🗈	uring	Typical Analysis
				Authorization		Jul-2021	lul-2021 to Sep-2021	121	
	Waste Generated	Category		(per year)	lul	Aug Sep	Sep	Total	
÷	Used or Spent Oil	بې 1.3	kgs	2000	Ē	Ē	₹	0	Enclosed as Annexure-1

Grasim Industries Limited Excel Fibre Division Birlagram, Nacda

1			OFFIR	Distagratil, Nagua						12
Sr. No.	Name	Waste	Unit	Quantity as per		Generated Quantity During	Luantity C	huring	Typical Analysis	
				Authorization		Jul-2021	Jul-2021 to Sep-2021	121	1111	
	Waste Generated	Category		(per year)	Jul	Aug	Sep	Total	,	,
	Used or Spent Oil	6.1	kgs	20009	Ē	₹	Ē	0	Enclosed as Annexure-1	
	Spent lon exchange resin containing foxic metals (Used Resin)	35.2	kgs	00059	₹	Ē	Ē	0	Enclosed As Annexure-3	

Exhibit - 3

GLIMPS OF GREEN BELT DEVELOPED



POWER HOUSE GATE



THERMAL POWER PLANT AREA



PLANT OVERVIEW



GREEN BELT

Exhibit-4

LED Display Board for CAAQMS (at Factory Gate for General Public)





FORMAT - II A

Ambient air quality data at Nagda for the month of: April-2021

All results expressed as Microgram/M3

			SOUTH		1 00	NORTH	15	WEST		EAST	ction	Dire	E
	28.04.2021	22.04.2021	07.04.2021	28.04.2021	22.04.2021	07.04.2021	19.04.2021	05.04.2021	19.04.2021	05.04.2021	Date	Hrs.	
	20	6	20	10	13	13	o	16	8	18	S02		
	6	17	19	12	6	¥	7	5	œ	17	SO2 NO2 CS2	6-	
	*	5	17	13	13	12	0	9	. 8	17	CS2	6	
	=	13	20	12	=	6	Ch	5	7	6	H2S		
	19	18	16	=	10	=	4	15	10	19	S02		
	3	5	17	3	3	6	ch	=	=	20	NO2	6	
	17	13	20	12	=	7	4	12	7	5	CS2	10 - 14	
	4	10	17	13	9	12	ω	9	6	1 8	CS2 H2S SO2		
	18	5	15	12	1	12	00	12	9	18	S02		
	5	20	18	7	12	13	4	4	9	19	NO2	14 - 18	
	19	=	16	7	#	6	Ch	4	9	6	CS2	18	
Ž,	6	=	8	=	5	7	6	± .	œ	17	H2S		
	18	ಚ	8	6	9	7	7	4	=	. 21	H2S SO2 NO2		
A S	4	19	16	12	6	12	. 0	19	7	8	102	18 - 22	
	13	4	18	⇉	3	= '	ω	ಪ	10	4	CS2		
	5	6	6	6	12	9	.4.	13	9	19	H2S		
	21	4	17	=	12	5	O	12	12	22	S02		
	12	≅	20	6	ಚ	ಪ	3	18	12	ऊ	NO2 CS2	22 - 02	
	18	16	21	10	10	13	4	12	=	18	CS2	02	
	4	5	19	12	13	12	51	4	=	22	H2S		
	17	12	2	12	4	10	o	16	9	6	S02		
	5	6	8	9	12	=	ۍ.	16	10	17	NO2 CS2 H2S	02-	
	17	12	19	= '	=	12	7	4	0	5	CS2	06	
	16	4	17	9	=	=	ω	12	7	20	H2S		
	21	- ₹	20	12	4	5	00	6	12	22	S02		
	6	20	20	7	3	16	7	19	12	20	NO2		
ita i	19	6	21	z	ī	¥	7	7	=	18	CS2	Max.	
	6	16	20	13	3	7	6	5	=	23	CS2 H2S		
	18.8	14.7	16.7	11.0	11.5	12.5	6.0	14.2	9.8	19.0	S02		
	14.2	17.5	18.0	11.7	11.7	13.2	5.0	15.5	9.5	17.7	O		
	16.3	13.5	18.5	11.8	12.0	12.0	4.8	12.3	8	15.8	2 CS2	24Hrs Av	
	13.3	13.2	17.8	11.2	11.0	11.3	4.3	12.3	8.0	18.7	H2S	0	
¥ .	47	47	46	46	38	8	42	46	46	4	6-14	8	
	45	49	48	39	4	40	40	42	49	46	14-22	Hrs. Ave	
	4	46	45	4	43	39	39	48	4	42	14 14-22 22-06	. PM10	
	29	27	27	21	23	20	21	24	26	24	6-14 14-22 22		
	26	29	25	23	21	21	23	19	28	29	14-22	Avg. P	
	27	26	28	22	20	22	20	20	25	28	22-06	W2.	

FORMAT - II B

Ambient air quality data at Nagda for the month of: April-2021

on Shop Apr. 2021 12 14.4 4.9 22 12 13.6 4.4 20 12 12.2 4.0 18 12 13.3 hawan Apr. 2021 12 10.1 4.3 16 12 10.3 5.6 19 12 8.6 4.1 14 12 8.3 liub Apr. 2021 18 11.7 1.6 15 18 12.2 1.7 16 18 11.9 1.4 14 18 11.2 Apr. 2021 18 16.7 2.5 21 18 16.6 2.2 20 18 16.1 2.8 21 18 14.8	Sampling location	& Year	n s	SO2 micr	S.D	NM3 Peak	-	NO2 micr	o	gram/M3 S.D. Peak	eak	,	S2 mic	CS2 microgram/M3 A.M. S.D. Pe	m/M3 Peak	n H2S	H2S microgra		M3 Peak	9	> ₊	PM10 n	M10 microgram	- 10 m	- 10 m	- 10 m	10 microgram/M3 S.D. Peak G.M.	10 microgram/M3 S.D. Peak G.M. n	10 microgram/M3 PM2.5 n
Hawan Apr. 2021 12 10.1 4.3 16 12 10.3 5.6 19 12 8.6 4.1 14 12 8.3 Liub Apr. 2021 18 11.7 1.6 15 18 12.2 1.7 16 18 11.9 1.4 14 18 11.2 Apr. 2021 18 16.7 2.5 21 18 16.6 2.2 20 18 16.1 2.8 21 18 14.8	EAST Fabrication Shop WEST	Apr. 2021	12	14.4		_	12	13		2	20	12			18			501	22		o :		45	45 2.2	45 2.2 49	45 2.2 49 45	45 2.2 49 45 6	45 2.2 49 45 6 27	45 22 49 45 6 27 1.8
Apr. 2021 18 11.7 1.6 15 18 12.2 1.7 16 18 11.9 1.4 14 18 11.2 Apr. 2021 18 16.7 2.5 21 18 16.6 2.2 20 18 16.1 2.8 21 18 14.8	Vishnu Bhawan NORTH	Apr. 2021	12			16	12	10		5.6	19	12						-	5		6	6 43	43	43	43 3.2	43 3.2 48	43 3.2 48 43	43 3.2 48 43 6 21	43 3.2 48 43 6 21 1.8
Apr. 2021 18 16.7 2.5 21 18 16.6 2.2 20 18 16.1 2.8 21 18 14.8	Labour-Club SOUTH	Apr. 2021	18	11.7		15	18	12			6	18	11.9	_					7		9			40	40 1.5	40 1.5 43 40	40 1.5 43 40 9	40 1.5 43 40 9	40 1.5 43 40 9 21
	Dairy	Apr. 2021	18	16.7	2.5	_	18	16.			20	1 8	16.1						20		9	9 47	47	47	47 1.3	47 1.3 49	47 1.3 49 47	47 1.3 49 47 9 27	47 1.3 49 47 9 27 1.3

FORMAT - II A

Ambient air quality data at Nagda for the month of : May-2021 All results expressed as Microgram/M3

Dire-	ction	EAST		WEST		NORTH		HTUOS	3
Hrs.	Date	03.05.2021	21.05.2021	03.05.2021	21.05.2021	NORTH 05.05.2021	23.05.2021	SOUTH 05.05.2021	23.05.2021
	S02	17	19	3	1 00	4	13	17	17
6-	NO2	8	15	14	14	13	=	20	18
10	CS2	7	17	10	13	#	4	16	17
	H2S	5	18	‡ .	12	9	10	19	18
	S02	19	18	6	16	12	10	15	19
10-14	NO2	20	4	10	16	=	14	17	16
4	NO2 CS2	16	15	9	4	10	=	17	4
	H2S	78	20	10	13	12	9	15	17
	S02	17	15	⇉	19	=	12	6	4
14-	NO2	17	12	=	17	12	6	16	6
18	CS2	5	13	12	16	=	3	17	12
	H2S S	16	17	12	12	=	=	16	12
	S02 /	22	16	3	17	5	10	8	5
18 - 2	NO2	5	19	200	8	=	=======================================	15	17
22	CS2	8	4	1	5	12	=	18	16
	H2S	20	6	9	4	10	10	16	16
	S02	16	17	12	5	4	12	18	6
22 - 02	NO2	16	18	17	15	10	13	19	4
02	CS2	17	16	12	18	13	6	20	5
	H2S	21	19	15	=	13	=	18	5
	S02	5	13	15	18	=	=	15	13
02 -	NO2	17	16	15	20	=	12	17	4
90	CS2	15	13	13	4	10	10	17	ಪ
	H2S	17	5	12	13	9	12	18	13
	S02	22	19	16	19	15	13	18	19
4Hrs	NO2	20	19	18	20	13	7	20	18
Max.	CS2	18	17	13	18	14	14	20	17
	H2S	21	20	15	14	13	12	19	18
1	S02	17.7	16.3	13.7	17.2	12.8	11.3	16.5	15.7
24H	NO2	17.2	15.7	14.2	16.7	11.3	11.8	17.3	16.2
24Hrs Avg	CS2	15.8	14.7	11.2	15.0	11.7	11.5	17.5	14.5
	H2S	17.8	17.5	12.0	12.5	10.7	10.5	17.0	15.2
8 1	6-14	43	45	4	4	41	40	45	48
8 Hrs.Avg.	14-22	4	48	4	40	38	41	46	47
. PM10	22-06	42	46	45	40	39	41	47	48
8 H	6-14	25	25	25	23	19	20	28	26
8 Hrs.Avg.	14-22	28	27	20	21	21	22	25	28
PM2.5	2 22-06	27	26	22	20	20	21	27	27

Tr.: Tracess

BDL: Below detectable Limit

ND: Not Detectedble

FORMAT - II B

Ambient air quality data at Nagda for the month of: May-2021

Sampling location	Month	S	O2 mic	SO2 microgram/M3	/M3		NO)2 micn	ogram	M3		SO	CS2 microgram/M3	ogram/	M3	H	H2S microgra	ogram/	M3			PM10	microg	ram/M3	3
	& Year	,	A.M.	A.M. S.D. Peak	Peak	10.1	0	A.M.	A.M. S.D. Peak	Peak		5	A.M.	S.D.	Peak	ח	A.M	S.D.	Peak	1.1	2	A.M.	S.D.	Peak	G.M.
AST	May-2021	12	17.0	2.2	22		12	16.4 2.1 20	2.1	20		12	15.3	1.5	18	12	17.7	1.9	21		0	45	2.0	48	45
Fabrication Shop					6					١	_			2000							-				
WEST Vishnu Bhawan	May-2021	12	15.4	2.4	19		12	15.4	2.8	20		12	13.1	2.4	18	12	12.3	1.6	15		6	42	2.0	45	42
NORTH Labour-Club	May-2021	12	12.1	1.6	15		12	12 11.6	1.2 14	14		12	12.2	-	14	12	10.6	1.3	13		6	40	12	4	6
SOUTH	May-2021	12	16.1	1.7	19		12	16.8	1.8	20		12	16.0	2.1	20	12	16.1	2.0	19		0	47	==	48	47
A M =Arithmetic mean S D =Standard Deviation G M =Geometric mean n=number of observation	=Standard Deviat	3	-	and the	200	-	Thoras a	e choo	- dia		10	1						0							

6	6	6	6	-	
27	21	22	26	A.M.	PM2.5
=	1.0	1.8	=======================================	S.D.	microg
28	22	25	28	Peak	am/M3
27	20	22	26	G.M.	
_					

Note: Norms for SO2, NO2, PM10 & PM2.5 as per National Ambient Air Quality Standards and Permissible limit for CS2 = 100 µg/m3 and H2S = 150 µg/m3

FORMAT - II A

Ambient air quality data at Nagda for the month of : June 2021

		HTUOS		NORTH			WEST			EAST	ction	Dire-
ND: Not Detectedble	22.06.2021	H 08.06.2021	22.06.2021	H 08.06.2021	28.06.2021	21.06.2021	07.06.2021	28.06.2021	21.06.2021	07.06.2021	Date	Hrs
Dete							-					-
ctedb	19	17	70	15	12	6	4	4	18	19	SO ₂	
TO.	15	19	10	10	9	5	13	15	14	16	NO ₂	6-
	6	6	12	12	9	4	9	=======================================	16	5	CS ₂	10
	17	፟	9	10	=======================================	=======================================	14	14	19	6	H ₂ S	
7	16	5	⇉	10	10	D.	=	12	18	22	SO ₂	
Tracess	17	17	ⅎ	=	⇉	17	=	₩	4	፟	NO ₂	10-
2	14	17	⇉	10	⇉	4	6	17	5	13	CS ₂	14
	17	17	⇉	12	12	12	9	17	â	17	H ₂ S	
	78	16	13	4	=	፟	10	4	6	3	SO ₂	
	4	5	10	\exists	10	ਰ	햐	17	ជ	17	NO ₂	14-
	12	17	12	14	10	15	=	13	14	17	CS ₂	18
1	16	16	10	φ	10	13	=	18	17	20	H ₂ S	
-	15	18	10	16	12	14	15	1	17	20	SO2	
1	18	18	10	12	- 13	17	16	19	18	15	NO ₂	18
	15	☆	=	10	12	15	10	7	15	15	CS ₂	18 - 22
	15	₩	10	10	=	1	10	15	₹	18	H ₂ S	
	14	18	⇉	12	14	15	14	17	17	17	SO ₂	
	15	19	12	=	ō	16	7	20	17	17	NO ₂	22 - 02
Ī	15	20	⇉	⇉	10	17	=	1 8	⇉	1 8	CS ₂	22
	4	16	12	12	13	10	=	20	19	17	H ₂ S	18 - 22 22 - 02
	6	5	12	10	12	19	15	10	4	5	SO ₂	
Ì	74	20	ವ	10	=	19	13	15	16	20	NO ₂	02 -
Ì	16	17	⇉	12	12	15	12	17	4	74	CS ₂	06
	12	15	=	10	4	12	15	19	14	16	H ₂ S	
	19	₹	ವ	16	4	19	15	17	18	22	SO ₂	
	1 8	20	ಪ	12	13	19	16	20	18	20	NO ₂	4Hrs
-	16	20	12	14	12	17	12	18	16	18	CS ₂	Max.
1	17	18	12	12	14	13	15	20	19	20	H ₂ S	5
	16.3	16.5	11.2	12.8	11.8	16.2	13.2	13.0	16.7	18.5	SO ₂	
	15.5	18.0	11.3	10.8	10.7	16.7	13.7	17.3	15.7	17.2	NO ₂	24
	5 14.7	17.5	11.3	11.5	7 10.7	7 15.0	7 10.5	3 15.0	14.2	15.3	100	24Hrs Avg
						0 11.5	5 11.7		2 17.5		12	
-	15.2	16.7	10.5	10.5	11.8			17.2		17.3	H ₂ S 6	
	47	46	41	40	40	42	4 1	45	46	4	6-14	8 Hrs
	49	4	40	39	4	4	43	47	47	43	14-22	Hrs.Avg.
	48	46	42	40	40	40	42	47	47	42	22-06	PM10
	27	27	22	*	22	20	24	25	26	28	6-14	8 1
	26	26	20	20	20	22	22	26	27	26	1 14-22	8 Hrs.Avg. PM2.5
-	25	27	22	21	21	21	25	26	25	25	2 22-06	PM2.5

FORMAT - II B

Ambient air quality data at Nagda for the month of: June 2021

Sampling location	Month		SO2	нg/m			NO ₂	µg/m³			0	CS ₂ µg/m	g/m ³			_	H ₂ S	µg/m³			PM10	micro	PM10 microgram/M3	3		PM2.5	PM2.5 microgram/M3	am/M3	w
	& Year	ם	A.M.	S.D.	D. Peak	_	> N	S.D.	Peak		э А	AM	S.D.	Peak		3	A.M.		Peak	5	AM	S.D.	S.D. Peak	ດ ×	ם	AM	S	D. Peak	G.M
EAST	Jun. 2021	200	18 16.1	3.0	22	18	18 16.7		1.8 20	_	18 1	14.8	2.0	8	-	18 17.3	17.3		20	9	45	1.8	47	45	9	26	0	28	
Fabrication Shop								_						H	_	- 19		1	9	0				à		-		Ĭ	_
WEST	Jun. 2021	18	13.7	2.5	19	18	18 13.7	2.8	19		18 12.1	_	23	17	_	18 11.7	11.7	1.6	15	9	41	10	43	41	9	22	1.6	25	
Vishnu Bhawan	000000000000000000000000000000000000000		MCCOR	NAME OF TAXABLE PARTY.	_						-	1	-	N. A.		-			100000	-		8				50000			
NORTH	Jun. 2021	12	12 12.0	2.0	16	12	12 11.1		13		12 11.4		1.0	14	_	12	10.5	1.0	12	o	40	0.9	42	40	o	21	1.4	22	
Labour-Club						_				_	_																		
SOUTH	Jun. 2021	12	12 16.4	1.5	19	12	16.8	2.0	20		12 1	16.1	.9	20	_	12	15.9	1.7	8	6	47	1.6	49	47	0	26	0.7	27	
Dairy															_														

FORMAT - II A

Ambient air quality data at Nagda for the month of: July-2021 All results expressed as Microgram/M3

Dire-	ction	EAST		WEST		NORTH		HTUOS	
Hrs	Date	05.07.2021	19.07.2021	05.07.2021	19 07 2021	06.07.2021	20.07.2021	06.07.2021	20.07.2021
	S02	21	19	10	15	14	9	18	20
6-	z	19	on and	15	19	⇉	13	20	74
- 10	CS2	14	4	10	17	<u>1</u>		20	14
	H2S	20	17	15	10	9	10	17	-
	S02	20	-1 00	12	ij.	12		16	17
10-	NO2	17	ಪ	12	16	10	12	700	13
- 14	CS2	12	12	9	15	=======================================	-1	17	12
	H2S	16	19	10	7	11	Φ	16	72
	SO2	19	14	4	17	10	12	15	16
14-	NO2	20	12	16	15	2	10	5	15
18	CS2	13	13	12	14	12	10	17	6
	H2S	15	15	9	13	10	10	Ú)	5
	SO2	21	6	1	ಪ	कं	6	4	4
18 - 2	NO2	15	17	15	17	1	<u></u>	6	16
22	CS2	17	74	10	12	1	Φ	16	15
	H2S	19	16	12	12	12	12	19	ü
	S02	ಹ	5	5	<u></u>	=======================================	9	17	14
22-	NO2	18	5	12	17	10	10	17	8
02	CS2	5	12	12	18	10	13	19	ᄚ
	H2S	16	8	13	4	=	10	14	4
	802	17	5	13	17	13	=	15	17
02-		17	₫	4	18	9	73	18	73
90	NO2 CS2	=======================================	4	10	4	11	10	ದ	4
	H2S	17	17	4	i3	12	9	6	3
	802	21	19	क	ŧ	15	12	1 00	20
4Hrs	NO2	20	-	16	19	12	ಪ	20	18
Max	CS2	17	4	12	1 00	4	ಹ	20	16
	H2S	20	19	ď.	14	12	12	19	18
	S02	9 3	16.3	12.5	15.8	12.5	10.3	15,8	16.3
241	NO2	17.7	15.2	14.0	17.0	10.5	<u>1</u>	17.3	14.7
24Hrs Avg	CS2	13.7	13.2	10.5	15.0	11.5	10.7	17.3	14.3
	H2S	17.2	17.0	12.2	12.2	10.8	10.0	16.2	14.2
8	6-	46	47	42	40	39	42	44	48
8 Hrs. Avg.	14-22	48	45	44	41	4	41	47	47
PM10	22-06	47	46	43	41	40	40	45	47
	0,	27	27	23	21	20	21	26	26
8 Hrs.Avg. PM2.5	14-22	25	25	24	20	19	22.	25	25
PM2	2 22-06	26	26	22	22	20	21	27	26

FORMAT - II B

Ambient air quality data at Nagda for the month of: July-2021

BDL: Below detectable Limit

Tr.: Tracess

ND: Not Detectedble

NO2	micro	gram	ram/M3		CS2 mic	rogram	/M3
n /	A.M.	S.D.	Peak	7	A.M.	S.D.	Peak
72	16.4	123	20	12	13.4	-1 :5	17
12	15.5	10	19	12	12.8	2.8	66
12	10.9		13	12	11.6	-	4

EAST Fabrication Shop WEST Vishnu Bhawan NORTH Labour-Club SOUTH

> 70 12

14.2

12 17.8

2,2

21

Sampling location

Month & Year

SO2 microgram/M3 n A.M. S.D. Peak

		PMT	PM10 micro	gram/M3	3
eak	D.	A.M.	S.D.	Peak G.M	G.M.
20	(D)	47	1.0	48	46
ch.	a)	42	i w	. 44	42
12	o	4	1.0	42	40
19	o	46	\ \	48	46

	n	Ø	(5)	6	O
U	A.M.	26	22	21	26
microgr	S.D. Peak	0.8	<u></u>	10	0.7
am/M3	Peak	27	24	22	27
	G.M.	26	22	20	26

A.M.=Arithmetic mean. S.D.=Standard Deviation, G.M.=Geometric mean,n=number of observation.

Note: Norms for SO2, NO2, PM10 & PM2.5 as per National Ambient Air Quality Standards and Permissible limit for CS2 = 100 µg/m3 and H2S = 150 µg/m3.

July-2021 July-2021 July-2021 July-2021

12

6.1 114

1.8 1.80 24

20 15 18

12 16.0 2.2 20

12 15.8 2.1 20

12 15.2

2.0

FORMAT - II A

Ambient air quality data at Nagda for the month of: August-2021 All results expressed as Microgram/M3

Dire-	ction	EAST		WEST		NORTH			HTUOS		
Hrs	Date	06.08.2021	15.08.2021	06.08.2021	15 08 2021	07.08.2021	17.08.2021	27.08.2021	07.08.2021	17.08.2021	27.08.2021
	S02	20	17	15	16	10	9	9	16	₫	19
6-	NO2	5	3	12	4	10	⇉	7	20	19	15
10	CS2	7	15	10	13	10	⇉	12	15	17	4
	H2S	17	18	13	10	=	10	12	2	*17	4
	SO2	21	17	14	14	12	10	12	5	20	-
10-	7	16	14	7 4	16	10	10	5	4	21	12
- 14	2 CS2	ಹ	15	9	12	=	10	12	74	19	17
	2 H2S	20	16	10	=	12	=	ಪ	15	20	14
	S02	19	16	1	Ť,	5	=	10	17	5 8	17
14 -	NOZ	17	16	ಪ	17	9	9	14	13	17	74
18	CS2	ਲੇ	4	10	3	ಪ	12	=	16	17	-
	H2S	19	15	g.	ಭ	10	12	2	16	23	12
	S02 N02	20	15	13	17	12	72	=	17	19	16
18 - 22		16	17	17	15	12	=======================================	13	15	20	6
2	CS2	4	16	12	17	10	=	12	17	18	4
,	H2S	4	19	⇉	12	9	9	10	19	21	15
	SO2	17	74	귥	18	16	3	12	<u></u>	17	20
22	NO2	₫	16	15	3	=	4	≐	1	3	4
22 - 02	CS2	15	12	10	13	12	4	10	19	20	100
	H2S	17	14	13	10	=	12	12	16	19	74
	S S02	16	15	14	15	=	12	13	74	21	16
02	NO NO	19	15	12	17	13	3	12	19	17	± 3
- 06	NO2 CS	17	13	9	16	12	12	=======================================	17	15	19
	CS2 H2S	15	12	15	=======================================	9	12	10	14	d	15
	S02	21	17	15	18	16	12	13	17 -	21	20
4Hrs	NO2	19	17	17	17	3	14	15	20	21	16
Max	CS2	17	16	12	17	13	74	12	19	20	19
	H2S	20	19	15	13	12	12	ಚ	19	23	5
-	S02	18.8	15.7	13.7	15.8	12.7	10.8	11.2	15.7	18.8	17.7
	2 NO2	16.8	15.2	13.8	15.3	10.8	11.3	13.2	16.5	8 18.7	13.5
24Hrs Avg)2 CS2	14.8	2 14.2	8 10.0	3 14.3	8 11.3	3 11.7	2 11.3	5 16.3	7 17.7	5 16.7
	H2S	17.0	15.7	11.8	11.2	10.3	11.0	11.3	16.3	19.7	14.0
				.8 40	.2 41						
8 Hrs Avg PM10	14 14	43	45	1000		41	40	4	45	48	46
AVG F	1-22	44	46	42	40	40	40	40	46	&	47
01Mc	22-06	46	46	4	42	40	4	40	45	47	47
8 Hrs.Avg. PM2.5	6-14	27	27	23	21	19	21	22	26	26	28
Vg. P	14-22	26	25	22	22	21	20	21	27	25	27
13	6.5		26	24			22	. 22		26	

FORMAT - II B

Ambient air quality data at Nagda for the month of: August-2021

Sampling location	Month	SO	SO2 microgram/M3	ogram	M3		NO2	NO2 microgram/M3	ram/\	3		CS2 mi	CS2 microgram/M3	n/M3	H2S	H2S microgram/M3	gram/l	23		PMT	PM10 microgram/M3	am/M3				PMZ.5	2.5 microgram/Ma	m/M3	1
C	& Year	3	AM	S.D.	A.M. S.D. Peak	n	A	A.M.	S.D.	S.D. Peak	_	A	S.D	A.M. S.D. Peak	0	A.M. S.D	S.D.	Peak	5	A.M	S.D.	Peak	G.M.	1	H	M	S.D.	Peak	G.M.
EAST																						_				1	1	3	
Fabrication Shop	Aug. 2021	12	17.3 2.2	2.2	21	12		16.0	1.6	19	12	14.5	1.4	17	72	16.3	2.3	20	o	45	1.2	46	45	o	-	6	0.7	2/	
Vishnu Bhawan JORTH	Aug. 2021	12	14.8	1.7	78	12		14.6	 	17	12	12.2	2.6	16	12	11.5	1.7	15	o o	41	0.8	42	4	on.		2	<u>ا</u> د	24	
abour-Club	Aug. 2021	18	11.6	8	16	18		11.8	1.8	15	18	11.4	1	14	8	10.9	1.2	12	9	40	0.5	4	40	9		_	1.0	22	
HTUO																												3	
airy	Aug. 2021	8	17.4	1.9	21	100		16.2	2.9	21	18	16.9	1.8	20	18	16.7	28	23	9	47	=	48	47	10		o	0.9	28	
.M.=Arithmetic mean, S.I																													
EAST 8 Year n A.M. S.D. Peak n A.M. S.D. S.D. S.D.	& Year Aug. 2021 Aug. 2021 Aug. 2021 Aug. 2021		A.M. 17.3 14.8 11.6	1.7 1.8 1.9	Peak 21 18 16 21 21	12 n 12 12 18 18 18 18 18 18 18			S.D 1.6 1.8 1.8	19 17 15 21	12 12 18 18 18 18 18 18 18 18 18 18 18 18 18		1.4 D	Peak 17 16 14		6.3 1.5 0.9			20 15 12 23		φ φ σ σ σ ₃	9 40 AM	n AM SD Peak 6 45 1.2 46 6 41 0.8 42 9 40 0.5 41 9 47 1.1 48	n AM SD Peak 6 45 1.2 46 6 41 0.8 42 9 40 0.5 41 9 47 1.1 48	n AM S.D. Peak G.M. 6 45 1.2 46 45 6 41 0.8 42 41 9 40 0.5 41 40 9 47 1.1 48 47	n AM. S.D. Peak GM. n 6 45 1.2 46 45 6 6 41 0.8 42 41 6 9 40 0.5 41 40 9 9 47 1.1 48 47 9	n AM S.D. Peak G.M. 6 45 1.2 46 45 6 41 0.8 42 41 9 40 0.5 41 40 9 47 1.1 48 47	n AM SD Peak GM n AM SD 6 45 1.2 46 45 6 26 0.7 6 41 0.8 42 41 6 22 1.3 9 40 0.5 41 40 9 21 1.0 9 47 1.1 48 47 9 26 0.9	n AM SD Peak GM n AM SD 6 45 1.2 46 45 6 26 0.7 6 41 0.8 42 41 6 22 1.3 9 40 0.5 41 40 9 21 1.0 9 47 1.1 48 47 9 26 0.9

FORMAT - II A

Ambient air quality data at Nagda for the month of : September-2021 All results expressed as Microgram/M3

	OUT		NORTH		WEST		EAST	ction	Dire-
22 09 2021	SOUTH 08.09.2021	22.09.2021	08.09.2021	20.09.2021	06.09.2021	20.09.2021	06.09 2021	Date	Hrs.
19	20	10	12	15	16	15	16	S02	
20	☆	10	14	15	15	12	17	NO2	- 8
20	17	12	13	=	10	14	19	CS2	- 10
22	19	12	10	11	14	17	18	H2S	
18	19	1	1	4	4	क	₫	SO2	
17	21	9	15	15	12	17	19	_	10-
19	22	10	12	15	12	ಪ	17	NO2 CS2 H2S	14
21	₫	11	=	10	12	15	19	H2S	
16	16	10	10	16	ಪ	18	17	S02	
16	18	10	12	14	14	14	16	NO2	14-
15	17	14	1	18	13	15	16	CS2 H2S	18
19	20	10	14	12	10	13	17		
-	18	12	13	15	16	4	21	SO2 1	
8	20	12	12	16	8	16	8	NO2	18 - 22
17	19	1	9	4	12	15	5	CS2	2
20	17	13	10	3	ಚ	17	6	H2S	
21	19	12	14	17	7	16	20	S02	
19	17	10	12	17	17	16	19	NO2	22 -
₹	21	13	12	15	4	13	8	CS2	02
17	20	12	13	10	13	15	21	H2S	
20	15	3	10	16	15	15	16	S02	
17	18	13	=	13	16	4	20		02-
16	20	12	13	13	=	14	17	NO2 CS2	90
20	19	13	12	12	12	ユ	효	H2S	
21	20	12	4	17	16	6	21	S02	
20	21	ವ	15	17	18	17	20	N02	4Hrs
20	22	4	13	1 8	14	15	19	CS2	Max.
22	20	ವ	4	12	4	17	21	H2S	
18.7	17.8	11.0	11.7	15.5	14.2	15.5	18.0	S02	
17.8	18.7	10.7	12.7	15.0	15.3	14.8	18.2	NO2	241
17.5	19.3	12.0	11.7	14.3	12.0	14.0	17.0	CS2	24Hrs Avg
19.8	18.8	11.8	11.7	11.0	12.3	14.7	18.2	H2S	
45	47	4	37	40	43	45	46	6-14	88
46	44	40	39	4	4	45	48	14-22	Hrs. Avg
48	46	4	38	42	42	44	45	2 22-06	8 Hrs. Avg. PM10
27	28	22	20	21	22	26	25	6-14	t
25	26	21	19	20	19	27	28	1 14-22	8 Hrs.Avg.
26	28	20	21	21	20	25	27	2 22-06	٦τ

BDL: Below detectable Limit Tr.: Tracess

ND: Not Detectedble

FORMAT - II B

Ambient air quality data at Nagda for the month of: September-2021

1.7 15 1.4 21	1.7	2,3	S.D	ogra
N -1			9.50	国
- o	8	20	S.D. Peak	2 microgram/M3
12 12	12	12	=	0
12.3	13.2	15.5	A.M.	CS2 microgram/M3
2.0	2.1	18	S.D.	ogram/
14	18	19	Peak	M3

12

12

Vishnu Bhawan NORTH

ptember-2021 tember-2021

tember-2021

12 12

18.3 11.3 14.8 16.8

1.7 1.2 1.6 2.0

21 14 17 21

12 12

73 19.3

1.4 22 EAST

eptember-2021

12 12

Sampling location

Month & Year

SO2 microgram

vM3 Peak

Fabrication Shop WEST

Labour-Club SOUTH

4	18	19	eak	ω
12	12	12	2	Т
11.8	11.7	16.4	A.M.	12S microgram/M3
1.3	1.2	2.6	S.D.	ogram/
4	14	21	Peak	M3

0	0	0	Ø	n	
46	39	42	46	A.M.	PM10
13	1.5	1.0	13	S.D.	micro
48	4	. 43	48	Peak	PM10 microgram/M3
46	39	41	45	G.M.	ω

					_
O	6	6	6	э	
27	21	21	26	A.M.	PM2.5
=	1.0	1.0	-	S.D.	PM2.5 microgr
28	22	22	28	Peak	am/M3
27	20	20	26	G.M.	
27	20	20	26	G.M.	

Dairy

A.M.=Arithmetic mean, S.D.=Standard Deviation, G.M.=Geometric mean,n=number of observation.

A.M.=Arithmetic mean, S.D.=Standard Deviation, G.M.=Geometric mean,n=number of observation.

Note: Norms for SO2, NO2, PM10 & PM2.5 as per National Ambient Air Quality Standards and Permissible limit for CS2 = 100 µg/m3 and H2S = 150 µg/m3.

Exhibit-6

Environment Cell - Personnel and details thereof

(As on 30th September, 2021)

S. No.	Name	Designation	Discipline	Date of Joining	Qualification			
Sr. Exe	Sr. Executives (Environment Cell Reports to)							
1	Mr. K Suresh	President & Unit Hea	Executive	05.02.2018	B.E. (Chemical), MS (Industrial Eng.)			
2	Mr Ashish Maheshwari	Vice President	Executive	16.08.2019	B.E. (Mechanical)			
3	Mr. Biswadeep Maity	Vice President	Executive	01.11.2016	B.Tec. (Chemical), MS, MBA (Operation)			
4	Mr. Abhishek Biswas	Gen. Manager	Executive	01.07.2016	B.E. (Mechanical), MBA (Marketing)			
Environment Cell								
1	Mr. Rakesh Patnaik	Gen. Manager	Tech. Services	23.03.2012	M.Sc.(Environment) M .Phil (Environment), PG Diploma in Environment Management			
2	Mr. Ashish Khare	Deputy Manager	Tech. Services	18.05.1998	M.Sc. (Maths), PG Diploma in Environment Management			
3	Mr. Roopesh Goyal	Dy. Gen. Manager	Monitoring	17.07.2018	B.E. (Textile)			
4	Mr. Anil Maheshwari	Asst. Manager	Monitoring	01.07.1995	B.Sc. (PCM)			
5	Mr. Ravi Jain	Asst. Manager	Monitoring	01.01.1996	B.Sc. (PCM)			
6	Mr Mahesh Kabra	Asst. Gen .Manager	Process	21.11.1994	B.Tec. (Chemical),			
7	Mr Anil Vijay	Asst. Gen .Manager	Process	26.08.1987	M.Sc. (Chem) , BS(Process Eng.)			
8	Mr. Amit Pandit	Asst. Manager	Process	18.05.1998	M.Sc. Chemistry BS(Process Eng.)			
9	Mr. R.K.Verma	Asst. Manager	Process	18.11.2015	M.Sc.(Chemistry)., B.S.,Dip.Env.Management			
10	Mr. Dilip Gohil	Officer	Process	21.10.2016	M.Sc. (Chem)			
11	Mr. J.K. Wadhawa	Asst. Manager	Process	01.07.1993	B.Sc, MA (English),BS (Pr. Engg)			
12	Mr. M.S.Kushwaha	Asst. Manager	Process	09.08.1996	B.Sc. , M.Sc. MBA			
13	Mr. Jitendra Gaur	Chemist	Process	16.10.2017	B.Sc.			

THURSDAY | JUNE 4, 2020 | BHOPAL / INDORE

PUBLIC NOTICE

Enviornment Clearance

It is hereby informed that competent authority of Ministry of Environment, Forest and Climate Change, Government of India, New Delhi has accorded Environment clearance for expansion of Viscose Staple Fibre, Solvent Spun Cellulosic Fibre, Sulpuric Acid and CPP of Grasim Industry Limited, Staple Fibre Division, Birlagram, Nagda, Dist Ujjain (M.P.) vide Environment Clearance F.No. J-11011/322/2016-IA-I(I) dated 29.05.2020 under the provision of EIA Notification 2006.

Copy of the environment clearance is available with the SPCB and may also be seen at website of Ministry of Environment, Forest and Climate change, Government of India, New Delhi at https://parivesh.nic.in/.

Date - 04.06.2020 Place - Nagda UNIT HEAD
Ws. Grasim Industries Limited,
Staple Fibre Division

Free Press (English)

तापमान अधिकतम 34.0°c न्यूनतम 24.5°c पत्रिका 04 व्यक्तिम एक्वार, ०४ जून, २०२०

सार्वजनिक सूवना

पर्यावरण सम्मति

सूचित किया जाता है की पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रात्तय, भारत सरकार, नई दिल्ली के सक्षम प्राधिकारी द्वारा ग्रेसिम इंडस्ट्रीज लिमिटेड, स्टेपल फायबर डिवीजन, विश्लाग्राम, नागवा, जिला- उज्जैन (म.प्र.) को विस्कोस स्टेपल फाइबर, साल्वेंट स्पन सेल्युलोसिक फाइबर, सल्प्यूरिक एसिड एवं सी.पी.पी. विश्लार की पर्यावरण सम्मित F. No. J-11011/322/2016-IA-II(I) विनांक: 29.05.2020 को ई.आई.ए. नोटिफिकेशन 2006 के प्रावधान के अंतर्गत प्रवान की गई है।

पर्यावरण सम्मति की प्रतिलिपी राज्य प्रदूषण नियंत्रण बोर्ड के पास उपलब्ध है एवं पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, नई दिल्ली की वेबसाइट https://parivesh.nic.in/ पर भी देखी जा सकती है।

दिनांक: - 04-06-2020 स्थान: नागदा यूनट हुड मेसर्स ग्रेपिम इंडस्ट्रीज लिमिटेड स्टेपल फायबर डिवीज न

Patrika (Hindi)

वैविक भारकर

उत्तोन, जरुवार ०४ जन, २०२० । ०४

सार्वजनिक सूचना

पर्यावरण सम्मति

स्तित किया जाता है की पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, नई विल्ली के सक्षम प्राधिकारी द्वारा ग्रेसिम इंडस्ट्रीज लिमिटेड, स्टेयल फायबर डिवीजन, बिरकायाम, नागदा, जिला- उज्जेन (म.प्र.) को विस्कास स्टेपल फाइबर, साल्वेट स्पन सेस्युलोसिक फाइबर, सल्ययूरिक एसिक एवं सी.पी.पी. विस्तार की पर्यावरण सम्मति F. No. J-11011/322/2016-IA-III(I) वितांक: 29.05.2020 को ई.आई.ए. नोटिफिकशन 2006 के प्रावधान के अंतर्गत प्रदान की पर्ड है।

पर्यावरण सम्मति की प्रतिलिपी राज्य प्रदूषण नियंत्रण बोर्ड के पास उपलब्ध है एवं पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, नई दिल्ली की वेषसाइट https://parivesh.nic.in/ पर भी वेखी जा सकती है।

दिनांक: - 04-06-2020 स्थान: नागदा यूनिट हैंड मेसर्स ग्रेसिम इंडस्ट्रीज लिमिटेड स्टेपल फायबर डिवीजन

Dainik Bhaskar (Hindi)