

O/C



ADM/ENV/2025-26/ 36

22.11.2025

To,

Regional office(SZ)

Ministry of Environment Forest and Climate Change  
Kendriya Sadan, 4th Floor, E&F Wings, 17th Main Road,  
Koramangala II Block, Bangalore – 560034

Dear Sir,

Sub: Submitting Compliance Report of MoEF & CC CRZ permission F. No –11-7/2021-IA III  
Ministry of Environment, Forest & Climate Change IA-III Division (CRZ) Dated 19.05.2021

GIL is very thankful for granting CRZ Permission vide letter No F.No –11-7/2021-IA III Ministry of Environment, Forest & Climate Change IA-III Division (CRZ) Dated 19.05.2021, received on 29.05.2021

As per CRZ Permission, kindly find attached MoEF & CC, CRZ compliance report from April'2025 to September 2025 with relevant Annexures attached.

Hope You will find in order of all the points referred in MoEF & CC CRZ Clearance.

Thanking You,

Yours faithfully,

For Grasim Industries Ltd,  
Chemical Division, Karwar

(Kush Sharma)

Unit Head

Encl : MoEF CRZ Compliance Report with Relevant Annexures

Cc- The Regional Director (Environment) CRZ, Forest Ecology-Environment Department,  
New KHB Colony Parisara Bhavan-Ground Floor, Habbuwa Karwar-581301.

Cc- The Regional Officer, Karnataka State Pollution Control Board

Regional Office "Parisara Bhavan ", LIG-II, B-217 ,B-1, Main Road, A-16th Cross  
Near Hari Om Trust, Habbuwa, Karwar-581303

ಸ್ವಾದೀನಿಕ ಸಿದ್ದಂತಕರ್ಮ (ಪರಿಸರ)  
ಕಾರ್ಯಾಲಯ, ದಿನಾಂಕ: ೨೧-೧೧-೨೫

### Grasim Industries Limited

Chemical Division, Karwar  
P.O. Binaga 581 307  
Dist. Uttar Kannada, Karnataka, India

Telephone +91 8382 230514,230174,178  
Fax +91-8382-230468

Website [www.grasim.com](http://www.grasim.com)  
CIN L17124MP1947PLC000410  
Email [grasimchem@grasim.com](mailto:grasimchem@grasim.com)

Regd Office : P.O. Birlagram, Nagda - 456 331 (M.P.)



ADM/ENV/2025-26/ 36

22.11.2025

To,  
Regional office(SZ)  
Ministry of Environment Forest and Climate Change  
Kendriya Sadan, 4th Floor, E&F Wings, 17th Main Road,  
Koramangala II Block, Bangalore – 560034

Dear Sir,

**Sub: Submitting Compliance Report of MoEF & CC CRZ permission F. No –11-7/2021-IA III  
Ministry of Environment, Forest & Climate Change IA-III Division (CRZ) Dated 19.05.2021**

GIL is very thankful for granting CRZ Permission vide letter No F.No –11-7/2021-IA III Ministry of Environment, Forest & Climate Change IA-III Division (CRZ) Dated 19.05.2021, received on 29.05.2021

As per CRZ Permission, kindly find attached MoEF & CC, CRZ compliance report from April'2025 to September 2025 with relevant Annexures attached.

Hope You will find in order of all the points referred in MoEF & CC CRZ Clearance.

Thanking You,

Yours faithfully,

For Grasim Industries Ltd,  
Chemical Division, Karwar

  
(Kush Sharma)

  
Unit Head

Encl : MoEF CRZ Compliance Report with Relevant Annexures

Cc- The Regional Director (Environment) CRZ, Forest Ecology-Environment Department,  
New KHB Colony Parisara Bhavan-Ground Floor, Habbuwa Karwar-581301.

Cc- The Regional Officer, Karnataka State Pollution Control Board  
Regional Office “Parisara Bhavan”, LIG-II, B-217 ,B-1, Main Road, A-16th Cross  
Near Hari Om Trust, Habbuwa, Karwar-581303

### Grasim Industries Limited

Chemical Division, Karwar  
P.O. Binaga 581 307  
Dist. Uttar Kannada, Karnataka, India

Telephone +91 8382 230514,230174,178  
Fax +91-8382-230468

Website [www.grasim.com](http://www.grasim.com)  
CIN L17124MP1947PLC000410  
Email [grasimchem@grasim.com](mailto:grasimchem@grasim.com)

Regd Office : P.O. Birlagram, Nagda - 456 331 (M.P.)

**Grasim Industries Limited**  
**Chemical Division, Karwar**

**F.No –11-7/2021-IA III**

**Ministry of Environment, Forest & Climate Change IA-III Division (CRZ)**  
**CRZ Compliance Report**

<b>Sr. No</b>	<b>Condition's</b>	<b>Compliance Status (April 2025 to September 2025)</b>
<b>PART A- SPECIFIC CONDITIONS</b>		
i)	No groundwater shall be extracted to meet with the water requirements during the construction phase of the project	Noted Please. No Ground water used during the construction phase of the project to meet the water requirement.
ii)	The treated effluent discharged into the sea shall strictly conform to the standards prescribed by CPCB / SPCB from time to time.	Noted Please GIL has ETP where the effluent is being treated. The treated Effluent is being strictly discharged to Sea conforming the norms to the standard prescribed by SPCB from time to time. <b>Analysis details is attached in Annexure –I</b>
iii)	No excavated material during the construction shall be dumped in water bodies or adjacent areas. The site shall be restored to its near original condition after completion of construction.	Earthen wastes like soil & boulders generated during laying of pipeline used for back filling and leveling of the same areas.
iv)	Any physical infrastructure setup during construction period shall be removed simultaneously with completion of laying of each segment of the project.	Earthen wastes like soil & boulders generated during laying of pipeline used for back filling and leveling of the same areas.
v)	All conditions/recommendations stipulated by the Karnataka Coastal Zone Management Authority (KCZMA) vide. their letter No. FEE 51 CRZ 2020, dated 8th October, 2020, shall strictly be complied with.	Noted & Complied.
<b>PART-B-GENERAL CONDITION</b>		
<b>Sr.No</b>	<b>Condition's</b>	<b>Compliance Status</b>
(i)	Management of solid waste in accordance with the Solid Waste Management Rules, 2016 shall be strictly implemented	Agreed & Noted.
ii)	'Consent to Establish' and / or 'Consent to Operate' shall be obtained from State Pollution Control Board under the provisions of Air (Prevention and Control of Pollution) Act, 1981 and / or the Water (Prevention and Control of Pollution) Act, 1974, as may be applicable.	Obtained Consent to operate from KSPCB i.e. Consent order No AW-348255 Inw ID 236910 dated 28.03.2025.

iii)	No permanent labour camp, machinery and material storage shall be allowed in CRZ area.	Noted & Complied.
iv)	Temporary toilets will be provided for all construction labour. Suitable toilet fixtures for water conservation shall be provided. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Noted & Complied.
v)	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Noted & Complied.
vi)	All liquid waste arising from the proposed development will be disposed of as per the norms prescribed by Central / State Pollution Control Board. There shall not be any disposal of untreated effluent into the sea/coastal water bodies. It shall be ensured that the wastewater generated is treated in the STP as committed by the project proponent. The treated waste water shall be reused for landscaping, flushing and / or HV AC cooling purposes etc. within the development. The project proponent should also make alternate arrangement for situation arising due to malfunctioning of STP. There shall be regular monitoring of standard parameters of the effluent discharge from STP under intimation to the SPCB.	Noted and complied.
vii)	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Noted Please.
viii)	A copy of the clearance letter shall be uploaded on the website of the concerned State Coastal Zone Management Authority / State Pollution Control Board.  The Clearance letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office/ Tehsildar's office for 30 days.	Complied.
ix )	A six-monthly monitoring report shall need to be submitted by the project proponent to the concerned regional Office of this Ministry regarding the implementation of the stipulated conditions.	Noted and complied.  Last half yearly compliance report submitted on 30.05.2025

x)	The Ministry of Environment, Forest & Climate Change or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.	Agreed and Noted Please.
xi)	Concealing factual data or submission of false/ fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed and Noted Please.
xii)	The above stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991, the EIA Notification, 2006 and the extant CRZ regulations.	Agreed and Noted Please.
xiii)	Full co-operation shall be extended to the officials from the Regional Office of MoEF & CC, during monitoring of implementation of environmental safeguards stipulated. It shall be ensured that documents/data sought pertinent is made available to the monitoring team. A complete set of all the documents submitted to MoEF & CC shall be forwarded to the concerned Regional Office of MoEF & CC.	Noted Please.
xiv)	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.	Agreed and Noted Please.
xv)	The Ministry reserves the right to add additional safeguard measures subsequently, if considered necessary, and to take action to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner, including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, for noncompliance.	Agreed and Noted Please.
xvi)	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponent from the respective competent authorities.	Agreed & Noted Please.  GIL is already having the necessary permission as per condition mentioned.
xvii)	The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded CRZ Clearance and copies of clearance letters are available with the State Pollution Control Board (SPCB) and may also be seen on the website of the Ministry of Environment, Forest	Complied.  GIL received the MoEF CRZ permission on dated 29.05.2021 GIL made advertisement as Public Notice in the two local Newspaper on dated 29.05.2021 i) Deccan Herald Newspaper (English) and other in vernacular language in

	and Climate Change at <a href="http://www.envfor.nic.in">http://www.envfor.nic.in</a> . The advertisement should be made within Seven days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the concerned Regional Office of this Ministry.	Kannada ii) Karawali Munjavu News Paper. Copies of paper is attached in Annexure-2.
4.	This Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.	Agreed and Noted Please.
5.	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted Please.
6.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad / Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied GIL has submitted/sent CRZ clearance copy to concerned Panchayat, Zilla Parisad / Municipal Corporation, Urban Local Body on 15.06.2021 <b>Attached in Annexure-3.</b>
7)	The proponent shall upload the status of compliance of the stipulated conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF & CC, the respective Zonal Office of CPCB and the SPCB.	Noted & Complied
8)	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of clearance conditions and shall also be Sent to the respective Regional Office of the Ministry by e-mail.	Noted and being complied.  Industry is submitting Environment Statement well on time and uploaded in company website also. Last Environment Statement 2024-25 was submitted on 23.09.2025



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.8/1  
Page 1 of 2


## ANALYSIS REPORT OF WASTE WATER QUALITY

1. Name and Address of Industry	:	M/s. Grasim Industries Limited., Chemical Division, Karwar, P.O. Binaga Dist - Uttar Kannada- 581 307
2. Sample Marked as	:	Treated water
3. Name of the location	:	Effluent Treatment Plant
4. Sample Collected By	:	MSV Analytical Laboratories
5. Sample quantity	:	Pet Bottle, 10 Liter.
6. Sample Description/condition	:	Good/Satisfactory
7. Date of Sample Collection	:	23.09.2025
8. Date of sample receipt	:	23.09.2025
9. Sample Code	:	WW/757
10. Analysis Starting Date	:	23.09.2025
11. Analysis Completion Date	:	29.09.2025
12. Report Issue Date	:	29.09.2025

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR NO: TC407125000021807F

S.no	Parameters	Protocol	Unit	Result	Tolerance Limit as per KSPCB Standards
1	Color	IS 3025 Part 4, Method (b)	-	Colorless	Colorless
2	Odor	IS 3025 Part 5, Annex A	-	Odorless	Odorless
3	Temperature	IS 3025 Part 9	°C	27	Should not exceed 5°C above receiving water temperature
4	pH	IS 3025 Part 11	-	7.90	5.5 - 9.0
5	Oil & Grease	IS 3025 Part 39, Method (a)	mg/L	2.0	Max20
6	Total Residual chlorine	IS 3025 Part 26, Method (a)	mg/L	0.45	Max 1
7	Ammonical Nitrogen as N	IS 3025 Part 34, Method A	mg/L	4.67	Max 50
8	Total kjeldhal Nitrogen as N	APHA 24th Edition -4500-N org B	mg/L	10.4	Max 100
9	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/L	62.0	Max 100
10	Chemical Oxygen Demand	IS 3025 Part 58	mg/L	170.0	Max 250
11	Lead as Pb	APHA 24th Edition - 3120 B	mg/L	<0.05	Max 2
12	Copper as Cu	APHA 24th Edition - 3120 B	mg/L	<0.01	Max 3
13	Zinc as Zn	APHA 24th Edition - 3120 B	mg/L	1.06	Max 15
14	Fluoride (as F)	APHA 24th Edition - 4500-F--(D)	mg/L	5.73	Max 15
15	Sulphide	APHA 24th Edition-4500 S2--(F)	mg/L	0.90	Max 5
16	Nitrate Nitrogen	IS 3025 (PART 34/SEC 1)	mg/L	13.2	Max 20
17	Total Suspended solids	IS 3025 Part 17	mg/L	47.0	Max 100

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No:18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvvalbellary.com

MSVAL/QR/7.8/1  
Page 2 of 2

## ANALYSIS REPORT OF WASTE WATER QUALITY

1. Name and Address of Industry	:	M/s. Grasim Industries Limited, Chemical Division, Karwar, P.O. Binaga Dist - Uttar Kannada- 581 307
2. Sample Marked as	:	Treated water
3. Name of the location	:	Effluent Treatment Plant
4. Sample Collected By	:	MSV Analytical Laboratories
5. Sample quantity	:	Pet Bottle, 10 Liter.
6. Sample Description/condition	:	Good/Satisfactory
7. Date of Sample Collection	:	23.09.2025
8. Date of sample receipt	:	23.09.2025
9. Sample Code	:	8735
10. Analysis Starting Date	:	23.09.2025
11. Analysis Completion Date	:	29.09.2025
12. Report Issue Date	:	29.09.2025

Discipline: Chemical Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: MSVAL/2025/3876

S.no	Parameters	Protocol	Unit	Result	Tolerance Limit as per KSPCB Standards
18	Free Ammonia	IS 2488(Part-6)	mg/L	BDL	Max 5
19	Mercury (as Hg)	IS 3025(part-48)	mg/L	<0.001	-
20	Bioassay	IS:6582-1971(RA-2003)	-	-	As per condition C - 7
21	Bio - Monitoring Test		-	-	Fish Survives in 5% solution of treated effluent

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed values for above measured parameters are within the limits.	

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory



Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified.







Annexure No-3  
(Page 1 of 4)

ADM/ENV/2021-22/26

Reg/Ad

Date 15.06.2021

To,  
The Secretary  
Chairman –Karnataka State Coastal Zone Management Authority  
Govt. of Karnataka. R. No-710, IV Gate,  
Multi-storeyed Building K.G Road,  
Bengaluru Karantaka-560001

Dear Sir,

**Sub: Letter for display at CRZ/SPCB Regional Office /District Industries Centre/Collector's office / Tahsildar's offices/Panchayat/Zilla Parishad/Municipal Corporation/Urban Local Body for GIL CRZ clearance copy received from MoEF & CC CRZ Letter F. No 11-7/2021-IA III dated 19<sup>th</sup> 2021 received on 29.05.2021 for proposed laying / rerouting of pipeline for discharge of treated effluent into sea from plant to outfall diffuser, Karwar, Karnataka”**

It is hereby kind to inform you that the GIL (Grasim Industries Ltd), Chemical Division, Karwar has received the CRZ clearance permission from MoEF & CC F. No 11-7/2021-IA III dated 19.05.2021 received on 29.05.2021 for “Proposed laying / rerouting of pipeline for discharge of treated effluent into sea from plant to outfall diffuser, Karwar, Karnataka”.

As per CRZ Clearance, GIL is providing CRZ clearance copy for display at concerned State Coastal Zone Management Authority/SPCB/ District Industries Centre/Collector's office/Tahsildar's offices of GIL CRZ Permission clearance copy received from MoEF & CC vide Letter No. F. No 11-7/2021-IA III dated on 19.05.2021. received on 29.05.2021.

Hence, GIL request you to kindly arrange to display the CRZ clearance as per compliance conditions Part-B – General Conditions No Viii.

Thanking You.

Yours Faithfully,  
For Grasim Industries Ltd.  
(Chemical Division, Binaga, Karwar)

(B.B.Dixit)

**PRESIDENT & UNIT HEAD**

Page 1 of 3

**Grasim Industries Limited**

Chemical Division, Karwar

R.O. Binaga 581 307

Dist. Uttar Kannada, Karnataka, India

Telephone +91 8382 230514,230174,178  
Fax +91-8382-230468

Website [www.grasim.com](http://www.grasim.com)  
CIN L17124MP1947PLC000410  
Email [grasimchem@grasim.com](mailto:grasimchem@grasim.com)

Regd Office : R.O. Birlagram, Nagda - 456 331 (M.P.)

Copy to:

- 1) The Chairman  
Karnataka State Pollution Control Board  
Parisara Bhavan,  
# 49, 4th & 5th Floor, Church Street,  
Bangalore- 560001
- 2) The Regional Director (Environment)  
CRZ, Forest Ecology –Environment Department  
New KHB Colony, Parisara Bhawan, Ground Floor,  
Habuwada, Karwar-581301
- 3) The Regional Officer,  
Karnataka State Pollution Control Board  
Regional Office "Parisara Bhavan", LIG-II, B-217  
B-1, Main Road, A-16th Cross  
Near Hari Om Trust, Habuwada Karwar-581303
- 4) District Industries center  
Office of the Joint Director  
District Industrial Centre  
Shirwad, Karwar
- 5) Collector Office  
Deputy commissioner/District Magistrate  
Uttara Kannada District  
Karwar-581301
- 6) Tehsildar office  
Tahasildar  
Karwar Taluk  
Uttara Kannada District  
Karwar-581301.
- 7) Panchayat  
The President/CEO  
Zilla Panchayat Office  
Karwar-581301

Copy to:

- 1) The Chairman  
Karnataka State Pollution Control Board  
Parisara Bhavan,  
# 49, 4th & 5th Floor, Church Street,  
Bangalore- 560001
- 2) The Regional Director (Environment)  
CRZ, Forest Ecology –Environment Department  
New KHB Colony, Parisara Bhawan, Ground Floor,  
Habuwada, Karwar-581301
- 3) The Regional Officer,  
Karnataka State Pollution Control Board  
Regional Office "Parisara Bhavan ", LIG-II, B-217  
B-1, Main Road, A-16th Cross  
Near Hari Om Trust, Habuwada Karwar-581303
- 4) District Industries center  
Office of the Joint Director  
District Industrial Centre  
Shirwad, Karwar
- 5) Collector Office  
Deputy commissioner/District Magistrate  
Uttara Kannada District  
Karwar-581301
- 6) Tehsildar office  
Tahasildar  
Karwar Taluk  
Uttara Kannada District  
Karwar-581301.
- 7) Panchayat  
The President/CEO  
Zilla Panchayat Office  
Karwar-581301



Annexure - No - 3  
(page 3 + 4)

- 8) Zilla Parishad  
CEO, MG, Road, Kodibag  
Karwar-581301
- 9) Municipal Corporation  
The chairman/commissioner  
City Municipal Council  
Karwar-581301  
Uttra Kannada District
- 10) The commissioner  
Karwar Urban Development Authority  
Meera Building  
Opposite Savanth Hospital  
Kajubagh, Karwar-581339

ಕೃಷ್ಣಪ್ಪ  
ದಿನಾಂ 16-6-21

శ్రీ శ్రీ శ్రీ శ్రీ

Page 3 of 3

**Grasim Industries Limited**  
Chemical Division, Karwar  
O. Binaga 581 307  
Uttar Kannada, Karnataka, India

Telephone +91 8382 230514,230174,178  
Fax +91-8382-230468

Website [www.grasim.com](http://www.grasim.com)  
CIN L17124MP1947PLC000410  
Email [grasimchem@grasim.com](mailto:grasimchem@grasim.com)

Regd Office : P.O. Birlagram, Nagda - 456 331 (M.P.)



ADM/ENV/2021-22/27

Reg/Ad

B/C

Annexure-No-3  
(Page 4 of 4)

Date 15.06.2021

The Secretary  
Chairman –Karnataka State Coastal Zone Management Authority  
Govt. of Karnataka. R.No-710, IV Gate,  
Multi-storeyed Building.K.G Road,  
Bengaluru Karantaka-560001.

Dear Sir,

**Sub: Letter for Uploading on the website at the concerned State Coastal Zone Management Authority/SPCB/ CRZ & KSPCB Regional office Karwar of GIL CRZ clearance copy received from MoEF & CC CRZ Letter F. No 11-7/2021-IA III dated 19<sup>th</sup> 2021 received on 29.05.2021 for proposed laying / rerouting of pipeline for discharge of treated effluent into sea from plant to outfall diffuser, Karwar, Karnataka. ”**

It is hereby kind to inform you that the GIL (Grasim Industries Ltd), Chemical Division, Karwar has received the CRZ clearance permission from MoEF & CC F. No 11-7/2021-IA III dated 19.05.2021 received on 29.05.2021 for “Proposed laying / rerouting of pipeline for discharge of treated effluent into sea from plant to outfall diffuser, Karwar, Karnataka”.

As per CRZ Clearance, GIL is providing CRZ clearance copy for uploading on the website of the concerned State Coastal Zone Management Authority/SPCB of CRZ Permission clearance copy received from MoEF & CC vide Letter No. F. No 11-7/2021-IA III dated on 19.05.2021. received on 29.05.2021.

Hence, GIL kindly request you to kindly arrange to upload the CRZ clearance as per compliance conditions Part-B – General Conditions No viii.

Thanking You.

Yours Faithfully,  
For Grasim Industries Ltd.  
(Chemical Division, Binaga, Karwar)

(B.B. Dixit)  
PRESIDENT & UNIT HEAD

**Grasim Industries Limited**

Chemical Division, Karwar  
P.O. Binaga 581 307  
Dist. Uttar Kannada, Karnataka, India

Telephone +91 8382 230514,230174,178  
Fax +91-8382-230468

Website [www.grasim.com](http://www.grasim.com)  
CIN L17124MP1947PLC000410  
Email [grasimchem@grasim.com](mailto:grasimchem@grasim.com)

PTO

Regd Office : P.O. Birlagram, Nagda - 456 331 (M.R.)

Copy to:

- 1) The Chairman  
Karnataka State Pollution Control Board  
Parisara Bhavan,  
# 49, 4<sup>th</sup> & 5<sup>th</sup> Floor, Church Street,  
Bangalore- 560001
  
- 2) The Regional Director (Environment)  
CRZ, Forest Ecology –Environment Department  
New KHB Colony, Parisara Bhawan, Ground Floor,  
Habuwada, Karwar-581301
  
- 3) The Regional Officer,  
Karnataka State Pollution Control Board  
Regional Office  
"Parisara Bhavan ", LIG-II, B-217  
B-1, Main Road, A-16th Cross  
Near Hari Om Trust, Habuwada Karwar-581303

ಉತ್ತರಾಂಶ ಸಾರ್ವಜನಿಕ (ಉಂಟಾಗಿ) 16/06/2021  
ಸಾರ್. ಸಾರ್. 16/06/2021

