



GIL/ENV/2023-24/77

27 Nov 2023

To,

Ministry of Environment, Forest and Climate Change,
Regional Office (Central Zone),
Kendriya Bhawan, 5th Floor,
Sector "H", Aliganj,
Lucknow – 226020

Kind Attn: Director, MOEF& CC

Subject: Compliance Status of Environment Clearance accorded by Ministry of Environment, Forests & Climate Change, Government of India, New Delhi.

Reference:

1. Environment Clearance - Project Code: **IV/ENV/UP/IND-70/184/2005**, for Expansion of Membrane Cell Technology based Caustic Soda Plant from 145 MTPD to 255 MTPD vide Clearance letter No- J-1101/51/2005-1A II (I) dtd. 13.10.2005
2. Environment Clearance -Project Code No. **IV/ENV/UP/IND-89/233/2007**, for Expansion of Membrane Cell Technology based Caustic Soda Plant from 255 TPD to 365 TPD vide Clearance Letter No. J-11011/284/2006 – IA II (I) dtd. 21.05.2007


Respected Sir,

This is in reference to above mentioned Environmental Clearance letter received from MoEF&CC, please note that we are complying all stipulated conditions. We are attaching herewith the descriptive reports (As per Annexure-1 & Annexure-2) on the status of compliance to conditions of Environment Clearance for the period **1st April 2023 to 30th September 2023**.

We hope you will find the above in order.

Yours Faithfully,

For, Grasim Industries Limited,
Chemical Division, Renukoot


Dr. Vinay Kumar Yadav
Head – Environment & Sustainability

Grasim Industries Limited
Chemical Division Renukoot
P.O.: Renukoot - 231 217,
Distt.: Sonebhadra (U.P.) India

Telephone +91- 5446 - 252044/55/75
Fax +91- 5446 - 252088

Website www.grasim.com
E-mail grasim.renukoot@adityabirla.com
CIN L17124MP1947PLC000410
PAN AAACG4464B

Annexure-1

Environment Clearance Compliance - Project Code **IV/ENV/UP/IND-70/184/2005**, for Expansion of Membrane Cell Technology based Caustic Soda Plant from 145 MTPD to 255 MTPD vide Clearance Letter No. J-1101/51/2005-1A II (I) dtd. 13.10.2005.

Period of Compliance Report : **1st April 2023 to 30th September 2023**

Specific Conditions:

Sr. No.	Conditions	Compliance Status
1.	The gaseous emissions (SO ₂ , NO _x , Cl ₂ & HCl) particulate matter from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	All the gases emission like SO ₂ , NO _x , Cl ₂ & HCl and SPM from various process units of the plant is within the limits as prescribed by the Pollution Control Board. Last 6 months Stack monitoring report is attached, this monitoring done by 3 rd Party. Unit has also installed continuous online monitoring system for emissions testing of above parameters and real time data transfer on CPCB server on continuous basis. Annexure 1 –Stacks monitoring report done by 3 rd party.
2.	Ambient air quality monitoring stations shall be set up in the downwind direction as well as where maximum ground level concentration are anticipated in consultation with the SPCB and data submitted to the Ministry.	Ambient Air Monitoring at 04 locations within premises has been done by 3 rd Party. CAAQMS is installed on-line ambient air monitoring at Renukeshwar Temple. Report submitted Quarterly to ministry. Annexure 2 –Monthly monitoring report done by 3 rd party Annexure 3 – Biannual Audit report done by NEERI
3.	The effluent generation after expansion shall not exceed 0.80 m ³ /ton of the product. The treated effluent shall conform to the standards stipulated by the UPPCB while granting NOC to the expansion project and for discharge in inland surface water. The company shall make efforts to maximize the use of treated effluent for green belt development within the plant complex to minimize the discharge of treated effluent into Dongia Nallah. Further, efforts shall be made by maximizing optimal re-use and recycle of treated effluent in processes and utilities to reduce the fresh water.	The effluent generation is below 0.80 m ³ /ton of product. All effluent is treated through full fledged ETP along with RO, MEE and ATFD system. Unit has already achieved and implemented Zero liquid discharge facility at site and real time data transferred on CPCB server on continuous basis through online Flow meter and PTZ camera installed at final discharge point. Kindly refer Annexure 3
4.	The vent gases from chlorine absorber of sodium hydrochloride plant and HCl acid plant shall be controlled at source by effective absorption system so that Chlorine concentration in the vent gases shall not exceed 5 ppm. The vent gases shall be discharged from the stacks of adequate height for effective dispersion.	Sodium hypo-chlorite vent gases are monitored and controlled effectively at source and vent gases concentration are below the specified limits. The gases are being dispersed through the stacks more than 30-meter height. Unit has also installed continuous online monitoring system for Chlorine & HCl and real time data transfer on CPCB server on continuous basis. Kindly refer Annexure 1

V. K. Yadav

5.	The solid waste including ETP sludge shall be disposed off in the landfill site approved by the State Control Pollution Board. Any further extension or creation of new secured landfill facility shall be as per the CPCB guidelines.	We have disposed all Hazardous waste, authorized by UPPCB through Common TSDF of Bharat Oil and Waste Management Ltd. during the period as per rules. Annexure 4 – Form - 3 is attached for FY 2023-24.
6.	The company shall seek permission from the State Irrigation Department to draw water from the Rihand reservoir.	The water withdrawal from Rihand Reservoir is as per agreement with UP Jal Vidyut Nigam Ltd.
7.	The company shall develop rainwater-harvesting structures to harvest the runoff water from the rooftop and by laying a separate storm water drainage system for recharge of ground water.	There is no feasibility of rain water harvesting potential at our site due to hilly region, as per CGWB. Annexure 5 – CGWA letter is attached for reference.
8.	Green belt shall be developed in an area of 22.75 ha to mitigate the effects of fugitive emissions all around the plant. The development of green belt shall be as per the Central Pollution Control Boards guidelines.	Greenbelt has been developed in 82.28-hectare area around the plant. Which is around 62% of total area. Annexure 6 – Summary of Greenbelt is attached for your reference.
9.	The project authorities shall comply with the recommendations made in the Disaster Management Plan. The Company shall install chlorine gas detectors to detect leakage of chlorine at liquid chlorine storage tanks, sodium hypo plant at vent pipe, HCl synthesis unit at vent pipe and electrolyzes area. The company should install on-line Hydrogen in Chlorine analyzer.	DMP has been prepared and has complied with its recommendation. 60 Nos. online Chlorine gas detectors have been installed at different location in Chlorine storage tank, Sodium Hypo plant, HCl synthesis and Electrolyser area for monitoring of any residual chlorine leakage.

V.K. Yadav

General Conditions:

Sr. No.	Conditions	Compliance status
1.	The project authorities must strictly adhere to the stipulations made by the Uttar Pradesh Pollution Control Board (UPPCB).	We follow the direction/guideline of UPPCB and consents are obtained.
2.	No further expansion or modifications in the plant shall be carried out without prior approval of Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No further expansion or modifications has been done.
3.	The project authorities shall strictly comply with the rules and regulations under Manufacture, Storage and import of Hazardous Chemicals Rules, 1989 as amended in October 1994 and January 2000. Prior approvals from Chief Inspectorate of Factories, Chief of Controller Explosives, and Fire Safety Inspectorate etc. must be obtained.	We are complying with the MSIHC rules 1989 as amended in 1994 and 2000 and prepared On Site and Off Site emergency plans and drills.
4.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Authorization from the State Pollution Control Board must be obtained for collection/treatment/storage / disposal of hazardous wastes.	Hazardous waste authorization has been obtained from UPPCB Lucknow for disposal and treatment of hazardous waste accordance with the Hazardous Wastes (Management and Handling) Rules, 2016. Annexure 9 – Hazardous waste authorization is attached for your reference.
5.	The overall noise levels in and around the plant area should be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under Environment (Protection) Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Silencers provided to DG set vent and acoustic enclosures have been provided. The overall noise level and ambient noise levels during daytime and night time are within prescribed limits. Kindly refer Annexure 3
6.	Occupational health surveillance program should be undertaken as regular exercise for all the employees, especially for those engaged in handling hazardous substances. The first aid facilities in the occupational health center shall be strengthened and the medical records of each employee should be maintained separately.	Annual health check-up of all employees are done. An 8 bed OHC headed by a MBBS Doctor equipped with Ambulance are available. Records of medical examination maintained. Annexure 10 – Health examination record of all employee for FY 2023-24, is attached for reference.

v. v. yadav

Sr. No.	Conditions	Compliance status
7.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA and Disaster Management Plan. The company also under takes social welfare/community development measures in the surrounding villages such as health care, education and drinking water supply facilities.	We comply with the safeguards recommended in EIA and DMP. Regular health camps, training workshops, RO drinking water, free school education etc. in villages situated around GIL are undertaken as part of our Rural development activities. Annexure 11 – Detail of expenditure made under community development as CSR scheme for FY 2023-24.
8.	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and monitoring functions.	We are having Structured Environment Management System in place and also we are having separate EMS Cell at unit level with full-fledged laboratory set up. Annexure 12 – Detail structure of Environmental Management Cell is attached for reference.
9.	The project authorities will provide requisite funds both recurring and non-recurring to implement the conditions stipulated by the Ministry of Environment & Forests as well as State Government along with the implementation schedule for all the condition stipulated herein. The funds so provided shall not be diverted for any other purpose.	There is no paucity of funds for environmental pollution control.
10.	The implementation of the project vis-à-vis environmental action plans will be monitored by the Ministry's Regional Office at Lucknow / UPPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies.	Six monthly reports are sent to authorities. Refer - GIL/ENV/2023-24/16 dtd. 26 May 2023 Environment Clearance compliance for the period 1 st October 2022 to 31 th March 2023 submitted via E-mail.
11.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the UPPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in . This should be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional Office.	Already advertised in two local newspapers i.e. Hindustan dated 22.10.05 & Dainik Jagaran dated 22.10.05. Copy of the advertisement already sent to regional office.
12.	The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work, if any.	Data sheets sent to regional office.

v. k. yadav

Annexure-2

Environment Clearance Compliance of Project Code No. **IV/ENV/UP/IND-89/233/2007**, for Expansion of Membrane Cell Technology based Caustic Soda Plant from 255 TPD to 365 TPD vide Clearance Letter No. J-11011/284/2006 – IA II (I) dtd. 21.05.2007

Period of Compliance Report : **1st April 2023 to 30th September 2023**

Specific Conditions:

Sr. No.	Conditions	Compliance Status
1.	The gaseous emissions (SO ₂ , NO _x , Cl ₂ & HCl) particulate matter from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	All the gases emission like SO ₂ , NO _x , Cl ₂ & HCl and SPM from various process units of the plant are within the limits as prescribed by the Pollution Control Board. Latest months Stack monitoring report is attached, this monitoring done by 3 rd Party. Unit has also installed continuous online monitoring system for emissions testing of above parameters and real time data transfer on CPCB server on continuous basis. Annexure 1 –Stacks monitoring report done by 3 rd party
2.	Ambient air quality monitoring stations shall be set up in the downwind direction as well as where maximum ground level concentration are anticipated in consultation with the SPCB and data submitted to the Ministry.	Ambient Air Monitoring at 04 locations within premises has been done by 3 rd Party. CAAQMS is installed on-line ambient air monitoring at Renukeshwar Temple. Report submitted Quarterly to ministry. Annexure 2 –Monthly monitoring report done by 3 rd party Annexure 3 – Biannual Env Audit report done by NEERI
3.	All the pipelines containing Cl ₂ shall be connected to the Sodium Hypochlorite (Hypo) plant to control the Cl ₂ emissions. Any Cl ₂ escaping anywhere due to leakage, plant emergency shall be sucked into Hypo plant. High efficiency Karbate absorbers – coolers and scrubbers shall be installed for the absorption of HCl gas and scrubbing vent gases. The vent gases from chlorine absorber of sodium hydrochloride plant and HCl plant shall be controlled at source by effective absorption system so that Cl ₂ concentration in the vent gases shall not exceed 5 ppm. The vent gases shall be discharged from the stacks of adequate height for effective dispersion.	All the Cl ₂ pipelines are connected to the Sodium hypochlorite/Calcium Hypo Chlorite. High efficiency absorbers, coolers and scrubbers have been installed. The vent gases from the Sodium Hypo Chlorite and HCl plant is below the specified limits. The gases are being dispersed through the stacks at more than 30-meter height. We have also installed continuous online monitoring system for emissions and real time data transferred to CPCB server. Kindly refer Annexure 1
4.	Lindane unit shall be provided with bag filters and efficient dust collectors. Scrubbers shall be provided to the Al ₂ Cl ₃ unit to scrub un-reacted Cl ₂ from reactors and Al ₂ Cl ₃ vapor.	Related plants have been stopped permanently. Scrubbers has been provided to the Al ₂ Cl ₃ unit to scrub un-reacted Cl ₂ from reactors and Al ₂ Cl ₃ vapor.

V. to yeeleu

Sr. No.	Conditions	Compliance Status
5.	Regular monitoring of fugitive emission in the work zone environment for all the relevant parameters including Cl ₂ , Hg, HCl and Benzene etc. using proper instruments shall be ensured and report submitted to the Ministry's Regional Office at Lucknow, CPCB and UPPCB.	Related plants have been stopped permanently.
6.	Total water requirement from Rihand Reservoir shall not exceed 578* m ³ /d and as per the Agreement signed with UP Jal Vidyut Nigam Ltd. All the effluent shall be collected in one pit only and other pit shall be used for neutralization of the effluent in alternate cycles. Mercury bearing effluent shall be treated with Sodium sulphate to precipitate Mercury as Mercury sulphide. Treated supernatant (100%) shall be recycled back in the system. Settled sludge shall be disposed off in Hg bearing brine sludge disposal ground. Lindane plant effluent shall also be 100% recycled. The company shall make efforts to maximize the use of treated effluent for green belt development within the plant complex to minimize the discharge of treated effluent into Dongia Nallah. Further, efforts shall be made by maximizing optimal re-use and recycle of treated effluent in process and utilities to reduce the fresh water consumption.	The water withdrawal from Rihand Reservoir is as per agreement with UP Jal Vidyut Nigam Ltd.
7.	As mentioned in EIA/EMP report, no Mercury and/or Lindane bearing wastewater shall be discharged to Dongia Nallah/Rihand Reservoir. Regular monitoring of Dongia Nallah for all the relevant parameters shall be ensured. The treated effluent shall conform to the standards stipulated by the UPPCB for discharge in inland surface water.	We have totally stopped Lindane plant and mercury cell house. Effluent treated through full fledge ETP along with RO, MEE and ATFD system. Unit has already achieved and implemented Zero liquid discharge facility at site and real time data transferred on CPCB server on continuous basis through online Flow meter and PTZ camera installed at final discharge point. <i>kindly refer Annexure 3</i>
8.	The process sludge (non-hazardous) shall be stored at the project site or dumped as a landfill in nearby low-lying area. Hazardous brine sludge from the filter CETP shall be dumped in UPPCB approved hazardous waste storage area (TSDF) located in nearby valley. Solid waste from Lindane unit shall be used to manufacture Tri-Chloro Benzene. Fly ash generated from CPP (extracted from ESPs) shall be used for pozzolona Portland cement and brick manufacturing. Bottom ash shall be used for land filling.	All process sludge generated by different processes are being included in Hazardous waste authorization and disposed through authorized TSDF, as directed by UPPCB. <i>Kindly refer Annexure 4</i> GIL has totally stopped Lindane plant and mercury cell house. Ash from CPP is being supplied to Cement plants and also used for making of bricks, blocks and road etc. Bottom ash is used for land filling.

v.v. yadav

Sr. No.	Conditions	Compliance Status
9.	Proper handling, management and disposal of Lindane and Mercury bearing sludge shall be ensured.	Related plants have been stopped permanently.
10.	The company shall develop rainwater-harvesting structures to harvest the run off water from the rooftop and by laying a separate storm water drainage system for recharge of ground water.	There is no feasibility of rain water harvesting potential at our site due to hilly region, as per CGWB. Annexure 5 – CGWA letter is attached for reference.
11.	Greenbelt shall be developed in an area of 22.78 ha to mitigate the effects of fugitive emissions all around the plant. The development of green belt shall be as per the Central Pollution Control Board guidelines	Greenbelt has been developed in 82.28 ha area around the plant. This is around 62% of total area. Annexure 6 – Summary of Greenbelt is attached for your reference.
12.	The project authorities shall comply with the recommendations made in the Disaster Management Plan. The Company shall install chlorine gas detectors to detect leakage of chlorine at liquid chlorine storage tanks, sodium hypo plant at vent pipe, HCl synthesis unit at vent pipe and electrolyzes area. The company should install on-line Hydrogen in Chlorine analyzer.	DMP has been prepared and has complied with its recommendation. 60 Nos. Chlorine gas detectors have been installed at different location in Chlorine storage tank, sodium hypo plant, HCl synthesis and Electrolyser area for monitoring of any residual chlorine leakage. Annexure 7 – List of all sensors installed in different location is attached for reference.
13.	All the recommendations made in a Charter of Corporate Responsibility for Environmental Protection (CREP) shall be implemented in a time bound manner.	Implemented.
14.	All the mercury cells of the existing Chlor Alkali (Mercury Cell) plant shall be phased out by 2012 and no further expansion will be granted.	Mercury cell permanently stopped in September 2011 well ahead of deadline 2012.

Ute yadaw

General Conditions:

Sr. No.	Conditions	Compliance Status																																				
1.	The project authorities must strictly adhere to the stipulations made by the Uttar Pradesh Pollution Control Board (UPPCB).	<p>We follow the direction/guidelines of UPPCB and consents are obtained. We are maintaining and complying the stipulated conditions and annual productions as per UPPCB Consents –</p> <table border="1" data-bbox="1270 676 2020 1240"> <thead> <tr> <th data-bbox="1270 676 1344 786">Sr. No.</th> <th data-bbox="1344 676 1690 786">Product</th> <th data-bbox="1690 676 1816 786">UOM</th> <th data-bbox="1816 676 2020 786">Production in FY 2023-24</th> </tr> </thead> <tbody> <tr> <td data-bbox="1270 786 1344 845">1</td> <td data-bbox="1344 786 1690 845">Caustic Soda Lye</td> <td data-bbox="1690 786 1816 845">MT</td> <td data-bbox="1816 786 2020 845">65,348.00</td> </tr> <tr> <td data-bbox="1270 845 1344 905">2</td> <td data-bbox="1344 845 1690 905">Chlorine</td> <td data-bbox="1690 845 1816 905">MT</td> <td data-bbox="1816 845 2020 905">46,601.00</td> </tr> <tr> <td data-bbox="1270 905 1344 964">3</td> <td data-bbox="1344 905 1690 964">HCL Chemicals</td> <td data-bbox="1690 905 1816 964">MT</td> <td data-bbox="1816 905 2020 964">11,487.00</td> </tr> <tr> <td data-bbox="1270 964 1344 1023">4</td> <td data-bbox="1344 964 1690 1023">Stable Bleaching Powder</td> <td data-bbox="1690 964 1816 1023">MT</td> <td data-bbox="1816 964 2020 1023">18,104.00</td> </tr> <tr> <td data-bbox="1270 1023 1344 1083">5</td> <td data-bbox="1344 1023 1690 1083">Aluminium Chloride</td> <td data-bbox="1690 1023 1816 1083">MT</td> <td data-bbox="1816 1023 2020 1083">8,330.00</td> </tr> <tr> <td data-bbox="1270 1083 1344 1142">6</td> <td data-bbox="1344 1083 1690 1142">PAC 10% Basis</td> <td data-bbox="1690 1083 1816 1142">MT</td> <td data-bbox="1816 1083 2020 1142">31,497.00</td> </tr> <tr> <td data-bbox="1270 1142 1344 1202">7</td> <td data-bbox="1344 1142 1690 1202">Chlorinated paraffin</td> <td data-bbox="1690 1142 1816 1202">MT</td> <td data-bbox="1816 1142 2020 1202">9,145.00</td> </tr> <tr> <td data-bbox="1270 1202 1344 1240">8</td> <td data-bbox="1344 1202 1690 1240">Hydrogen Gas</td> <td data-bbox="1690 1202 1816 1240">Nm3</td> <td data-bbox="1816 1202 2020 1240">27,3911.00</td> </tr> </tbody> </table> <p data-bbox="1270 1240 2020 1329">Annexure 8 – Copy of CTO is attached with for your reference</p>	Sr. No.	Product	UOM	Production in FY 2023-24	1	Caustic Soda Lye	MT	65,348.00	2	Chlorine	MT	46,601.00	3	HCL Chemicals	MT	11,487.00	4	Stable Bleaching Powder	MT	18,104.00	5	Aluminium Chloride	MT	8,330.00	6	PAC 10% Basis	MT	31,497.00	7	Chlorinated paraffin	MT	9,145.00	8	Hydrogen Gas	Nm3	27,3911.00
Sr. No.	Product	UOM	Production in FY 2023-24																																			
1	Caustic Soda Lye	MT	65,348.00																																			
2	Chlorine	MT	46,601.00																																			
3	HCL Chemicals	MT	11,487.00																																			
4	Stable Bleaching Powder	MT	18,104.00																																			
5	Aluminium Chloride	MT	8,330.00																																			
6	PAC 10% Basis	MT	31,497.00																																			
7	Chlorinated paraffin	MT	9,145.00																																			
8	Hydrogen Gas	Nm3	27,3911.00																																			
2.	No further expansion or modifications in the plant shall be carried out without prior approval of Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No further expansion or modifications has been done.																																				
3.	The project authorities shall strictly comply with the rules and regulations under Manufacture, Storage and import of Hazardous Chemicals Rules, 1989 as amended in October 1994 and January 2000. Prior approvals from Chief Inspectorate of Factories, Chief of Controller Explosives, Fire Safety Inspectorate etc. must be obtained.	We are complying with the MSIHC rules 1989 as amended in 1994 and 2000 and prepared On Site and Off Site emergency plans and drills.																																				
4.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Authorization from the State Pollution Control Board must be obtained for collection/treatment/storage / disposal of hazardous wastes.	Hazardous waste authorization has been obtained from UPPCB Lucknow for disposal and treatment of hazardous waste. Annexure 9 – Hazardous waste authorization is attached for your reference.																																				
5.	The overall noise levels in and around the plant area should be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under Environment (Protection) Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	Silencers to DG set vent and acoustic enclosures have been provided. The overall noise level and ambient noise levels during daytime and night time are within prescribed limits. <i>kindly refer Annexure 3</i>																																				
6.	Occupational health surveillance program should be undertaken as regular exercise for all the employees, specially for those engaged in handling hazardous	Annual health check-up of all employees are done. An 8 bed OHC headed by a MBBS Doctor equipped with Ambulance are																																				

v. 12 years

Sr. No.	Conditions	Compliance Status
	substances. The first aid facilities in the occupational health center shall be strengthened and the medical records of each employee should be maintained separately.	available. Records of medical examination maintained. Annexure 10 – Health examination record of all employee for FY 2023-24, is attached for reference.
7.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA and Disaster Management Plan. The company also under takes social welfare/community development measures in the surrounding villages such as health care, education and drinking water supply facilities.	We comply with the safeguards recommended in EIA and DMP. Regular health camps, training workshops, cleaning of wells etc. in villages situated around GIL are undertaken as part of our Rural development activities. Annexure 11 – Detail of expenditure made under community development as CSR scheme for FY 2023-24.
8.	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and monitoring functions.	We are having Structured Environment Management System in place and also we are having separate EMS Cell at unit level with full-fledged laboratory set up. Annexure 12 – Detail structure of Environmental Management Cell is attached for reference.
9.	Rs. 5.00 Crores and Rs. 0.50 Crores earmarked towards the capital cost and recurring cost/annum for environmental pollution control shall be judiciously used to implement the conditions stipulated by the Ministry of Environment & Forests as well as State Government. The funds so provided shall not be diverted for any other purpose.	There is no paucity of funds for environmental pollution control.
10.	The implementation of the project vis-à-vis environmental action plans will be monitored by the Ministry's Regional Office at Lucknow / UPPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies.	Six monthly reports are sent to authorities. Refer - GIL/ENV/2023-24/16 dtd. 26 May 2023 Environment Clearance compliance for the period 1st October 2022 to 31th March 2023 submitted via E-mail.
11.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the UPPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in . This should be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional Office.	Already advertised in two local newspapers i.e. Hindustan dtd. 27.05.07 & Dainik Jagaran dtd. 26.05.07. Copy of the advertisement already sent to regional office.
12.	The Project Authorities shall inform the Regional Office as well as the ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work, if any.	Data sheets sent to regional office.

U. B. Yeelen

- Annexure 1** –Stacks monitoring report done by 3rd party
- Annexure 2** –Monthly monitoring report done by 3rd party
- Annexure 3** – Biannual Audit report done by NEERI
- Annexure 4** – Form - 3 is attached for FY 2023-24.
- Annexure 5** – CGWA letter is attached for reference.
- Annexure 6** – Summary of Greenbelt is attached for your reference.
- Annexure 7** – List of all sensors installed in different location is attached for reference
- Annexure 8** – Copy of CTO is attached with for your reference
- Annexure 9** – Hazardous waste authorization is attached for your reference
- Annexure 10** – Health examination record of all employee for FY 2023-24, is attached for reference.
- Annexure 11**– Detail of expenditure made under community development as CSR scheme for FY 2023-24.
- Annexure 12** – Detail structure of Environmental Management Cell is attached for reference.

Uk yadav