



GRASIM/ENV/ /2024
15th April, 2024

To,
Integrated Regional Office (IRO), MOEFCC
Room No 407, Aranya Bhawan,
Near CH-3 Circle, Sector 10A,
Gandhinagar, Gujarat – 382010


Sub. : Submission of Annual Fly Ash Compliance Report for the financial year 2023 - 24
Ref. : Fly Ash notifications dated 31st December-2021 and its subsequent amendments

Respected Sir,

We are enclosing herewith Annual Fly Ash Compliance Report of our Unit for the financial year 2023-24 along with its annexure for your kind reference and record.

Thanking you,
Yours faithfully,

For Grasim Industries Limited; Unit - Indian Rayon


Shailendra Rathore
General Manager,
Environment, Safety & Sustainability

Encl. : As above

CC To :

✓ **The Member Secretary**
Gujarat Pollution Control Board,
Paryavarán Bhawan, Sector-10/A,
Gandhinagar – 382 043

c/4513

✓ **The Regional Officer**
Gujarat Pollution Control Board,
Pankaj Vikas Bungalow, Opposite Saint Annes
Church, Station Road, Junagadh – 362 001

c/4514

Central Pollution Control Board
Zonal Office (West), Parivesh Bhawan,
Atmajyoti Ashram Rd,
Opp. VMC Ward Office No. 10,
Subhanpura, Vadodara – 390 023

✓ **Central Electricity Authority,**
Ministry of Power,
Sewa Bhawan, R.K. Puram, Sector-1,
New Delhi-110 066

c/4515



Grasim Industries Limited
(VFY – Fashion Yarn Business)

Unit: Indian Rayon, Veraval - 362 266, Dist. Gir Somnath, Gujarat, INDIA.

T: +91 2876 248401/245711 | F: +91 2876 243220


E: indian.rayon@adityabirla.com | W: www.raysil.co.in / www.grasim.com

Registered Office: Birlagram, Nagda - 456 331 (M.P.) | Corporate ID No.: L17124MP1947PLC000410

Fly Ash MoEF Notifications 31 st December-2021 and Its Subsequent Amendments		
Statutory Compliance Report for the Period 01.04.2023 to 31.03.2024		
Sr. No.	Details	
1.	Name of Power Plant	Grasim Industries Limited (Unit - Indian Rayon)
2.	Name of the company	Grasim Industries Limited (Unit - Indian Rayon)
3.	District	Gir-Somnath, Veraval - 362266
4.	State	Gujarat
5.	Postal address for communication:	Grasim Industries Limited –Unit: Indian Rayon, Gir-Somnath- Veraval - 362266
6.	E-mail:	s.rathore@adityabirla.com
7.	Power Plant installed capacity (MW):	54.5 MW
8.	Plant Load Factor (PLF):	75.89%
9.	No. of units generated (MWh):	2,53,199.520 MWh
10.	Total area under power plant (ha): (including area under ash ponds)	Total area under power plant: 9.02 ha
11.	Quantity of coal consumption during reporting period (Metric Tons per Annum):	2,80,440 MT
12.	Average ash content in percentage (per cent):	7-9 %
13.	Quantity of current ash generation during reporting period (Metric Tons per Annum):	24,545.91 MT
	Fly ash (Metric Tons per Annum):	20,694.40 MT
	Bottom ash (Metric Tons per Annum):	3,851.51 MT
14.	Capacity of dry fly ash storage silo(s) (Metric Tons) :	1,200 MT (4 nos. of Silo having 300 MT capacity each)
15.	Details of utilization of current ash generated during reporting period.	
(a)	Total quantity of current ash utilized (MTPA) during reporting period:	24,934.92 MT
(b)	Quantity of fly ash utilized (MTPA):	
(i)	Fly ash based products (bricks or blocks or tiles or fiber cement sheets or pipes or boards or panels)	—
(ii)	Cement manufacturing:	20,617.93 MT
(iii)	Ready mix concrete:	—
(iv)	Ash and Geo-polymer based construction material:	—
(v)	Manufacturing of sintered or cold bonded ash aggregate:	—
(vi)	Construction of roads, road and flyover embankment:	—
(vii)	Construction of dams:	—
(viii)	Filling up of low lying area:	—
(ix)	Filling of mine voids:	—
(x)	Use in overburden dumps:	—

(xi)	Agriculture:	--
(xii)	Construction of shoreline protection structures in coastal districts;	--
(xiii)	Export of ash to other countries:	--
(xiv)	Others (please specify):	--
(c)	Quantity of bottom ash utilized (MTPA):	
(i)	Fly ash based products (bricks or blocks or tiles or fiber cement sheets or pipes or boards or panels)	Bricks = 1174.71 MT Paver Blocks = 972.88 MT Total = 2147.59 MT
(ii)	Cement manufacturing:	--
(iii)	Ready mix concrete:	--
(iv)	Ash and Geo-polymer based construction material:	--
(v)	Manufacturing of sintered or cold bonded ash aggregate:	--
(vi)	Construction of roads, road and flyover embankment:	--
(vii)	Construction of dams:	--
(viii)	Filling up of low lying area:	1034.88 MT
(ix)	Filling of mine voids:	--
(x)	Use in overburden dumps:	--
(xi)	Agriculture:	--
(xii)	Construction of shoreline protection structures in coastal districts;	--
(xiii)	Export of ash to other countries:	--
(xiv)	Others (please specify):	Compound Construction = 772.48 MT Used in Power plant = 362.04 MT Total = 1134.52 MT
Total quantity of current ash unutilized (MTPA) during reporting period:		Fly Ash = 288.45 MT Bed Ash = 28.41 MT Total Unutilized = 316.86 MT
16.	Percentage utilization of current ash generated during reporting period (per cent):	98.7 %
17.	Details of disposal of ash in ash ponds	
(a)	Total quantity of ash disposed in ash pond(s) (Metric Tons) as on 31st March (excluding reporting period):	NA
(b)	Quantity of ash disposed in ash pond(s) during reporting period (Metric Tons):	NA
(c)	Total quantity of water consumption for slurry discharge into ash ponds during reporting period (m3):	NA
(d)	Total number of ash ponds:	NA
(i)	Active:	NA
(ii)	Exhausted (yet to be reclaimed):	NA
(iii)	Reclaimed:	NA

(e)	total area under ash ponds (ha):	NA
18.	Individual ash pond details (Individual ash pond details)	
(a)	Status: Under construction or Active or Exhausted or Reclaimed	NA
(b)	Date of start of ash disposal in ash pond (DD/MM/YYYY or MM/YYYY):	NA
(c)	Date of stoppage of ash disposal in ash pond after completing its capacity (DD/MM/YYYY or MM/YYYY): (Not applicable for active ash ponds)	NA
(d)	area (hectares):	NA
(e)	dyke height (m):	NA
(f)	volume (m ³):	NA
(h)	quantity of ash disposed as on 31st March (Metric Tons):	NA
(i)	available volume in percentage (per cent) and quantity of ash can be further disposed (Metric Tons):	NA
(j)	expected life of ash pond (number of years and months):	NA
(k)	co-ordinates (Lat and Long): (please specify minimum 4 co-ordinates)	NA
(l)	type of lining carried in ash pond: HDPE lining or LDPE lining or clay lining or No lining	NA
(m)	Mode of disposal: Dry disposal or wet slurry (in case of wet slurry please specify whether HCSD or MCSD or LCSD)	NA
(n)	Ratio of ash: water in slurry mix (1: __):	NA
(o)	Ash water recycling system (AWRS) installed and functioning: Yes or No	NA
(p)	Quantity of wastewater from ash pond discharged into land or water body (m ³):	NA
(q)	Last date when the dyke stability study was conducted and name of the organization who conducted the study:	NA
(r)	Last date when the audit was conducted and name of the organization who conducted the audit:	NA
19.	Quantity of legacy ash utilized (MTPA):	We are providing 100% fly ash to cement plant of our group units and other cement units since December- 2015 and the trend continued for the financial year 2023-24.
(i)	Fly ash based products (bricks or blocks or tiles or fiber cement sheets or pipes or boards or panels)	—
(ii)	Cement manufacturing:	—
(iii)	Ready mix concrete:	—

(iv)	Ash and Geo-polymer based construction material:	--																				
(v)	Manufacturing of sintered or cold bonded ash aggregate:	--																				
(vi)	Construction of roads, road and flyover embankment:	--																				
(vii)	Construction of dams:	--																				
(viii)	Filling up of low lying area:	--																				
(ix)	Filling of mine voids:	--																				
(x)	Use in overburden dumps:	--																				
(xi)	Agriculture:	--																				
(xii)	Construction of shoreline protection structures in coastal districts;	--																				
(xiii)	Export of ash to other countries:	--																				
(xiv)	Others (please specify):	--																				
20.	Summary:																					
	<table><tr><th>Details</th><th>Quantity generated (MTPA)</th><th>Quantity utilized (MTPA) and (per cent)</th><th>Balance quantity (MTPA)</th></tr><tr><td>Current ash during reporting period</td><td>24545.91 MT</td><td>24229.05 MT (98.7 %)</td><td>316.86 MT</td></tr><tr><td>Ash unutilized at the end of previous reporting period (as on 31.03.2023)</td><td>705.87 MT</td><td>705.87 MT (100%)</td><td>0 MT</td></tr><tr><td>Legacy ash</td><td>NA</td><td>NA</td><td>NA</td></tr><tr><td>Total</td><td>25251.78 MT</td><td>24934.920 MT (98.7 %)</td><td>316.86 MT</td></tr></table>	Details	Quantity generated (MTPA)	Quantity utilized (MTPA) and (per cent)	Balance quantity (MTPA)	Current ash during reporting period	24545.91 MT	24229.05 MT (98.7 %)	316.86 MT	Ash unutilized at the end of previous reporting period (as on 31.03.2023)	705.87 MT	705.87 MT (100%)	0 MT	Legacy ash	NA	NA	NA	Total	25251.78 MT	24934.920 MT (98.7 %)	316.86 MT	
Details	Quantity generated (MTPA)	Quantity utilized (MTPA) and (per cent)	Balance quantity (MTPA)																			
Current ash during reporting period	24545.91 MT	24229.05 MT (98.7 %)	316.86 MT																			
Ash unutilized at the end of previous reporting period (as on 31.03.2023)	705.87 MT	705.87 MT (100%)	0 MT																			
Legacy ash	NA	NA	NA																			
Total	25251.78 MT	24934.920 MT (98.7 %)	316.86 MT																			
21.	Any other information: Soft copy of the annual compliance report, and shape files of power plant and ash ponds may be e-mailed to:- moefcc-coalash@gov.in	The fly ash purchase orders of Cement Industries and Bed ash utilization certificate are attached as Annexure -1 .																				
22.	Signature of Authorized Signatory:	 Shailendra Rathore General Manager, Environment, Safety & Sustainability																				



Grasim Industries Limited
Unit:- Indian Rayon

Power Plant - Veraval
Veraval Pin Code - 362266 [India]
Telephone Number - 2876245711
E-Mail Id - indian.rayon@adityabirla.com

Contract Number:
4100006205

PO Date : 12.05.2023
PO Number : 7642004005

Validity of Contract: This contract is effective up to 31.03.2024

General Terms:

01) You have to deposit Rs. nil as a security deposit against this contract and it will be refunded only after satisfactory completion of the contract. This deposit will not carry any interest.

02) In case you fail to lift the material within stipulated time, we shall have the liberty to cancel the contract at any moment and forfeit the security deposit. If our losses are more than security deposit then you will be liable to pay for the additional losses in excess of security deposit.

03) In case you fail to lift the material within stipulated time, we shall have the liberty to cancel the contract at any moment and forfeit the security deposit. If our losses are more than security deposit then you will be liable to pay for the additional losses in excess of security deposit.

04) Arrangement of transport and labour will be made by you.

05) Delivery will be given only in working days and working hours.

06) It may also be noted that you will not be allowed to take any of your client or subcontractor inside our factory. In case we found any unauthorized person with you inside our factory we have right to cancel your contract and forfeit your deposit.

07) You will be solely responsible for the consequences arising out of use of scrap items purchased from us and therefore, you should take adequate care to dispose off the scrap items to the end users or reuse the same at your end suitably.

08) You will take necessary insurance of your visiting labour for loading of scrap and any kind of injury loss of life of your worker during the loading or due to negligence, Indian Rayon would not be responsible for the same. You will fully responsible for their medical treatment & other compensation payable to your labour.

09) The worker's minimum age shall be 18 years, no child labour shall be employed

10) The contractor shall not engage himself in forced labour deployment at site

11) The contractor shall not discriminate any labour w.r.t. age, caste, religion etc. while working with IR.

Kindly fulfil following data for gate pass for material loading.

1. Copy of Aadhar card
2. Pass port size photographs to prepare gate pass by security
3. Copy of Separate PF code
4. Copy of WC policy
5. Contract labour bank account details
6. Police verification certificate in case of Gujarat belongs if contract labour belongs out of Gujarat contractor has to provide affidavit

Resmit

Veraval

IR



Grasim Industries Limited
Unit:- Indian Rayon

Power Plant - Veraval
Veraval Pin Code - 362266 [India]
Telephone Number - 2876245711
E-Mail Id - indian.rayon@adityabirla.com

Contract Number:
4100006205

PO Date : 12.05.2023
PO Number : 7642004005

7.Safety supervisor is required during loading.

8.Contractor has to present Covid negative report tested within 48 hours.

12) The contractor shall provide Safety helmet, Gloves, nose mask and safety shoes (complying with the Indian Standard) to all his employees (including his sub-contractor employees).

13)In case a IR official find that the employees of the contractor working without use of appropriate Personal Protective Equipment (PPE), IR shall have a right to issue the PPEs to the concerned worker and deduct the cost and overhead charges from the bill of contractor.

14) Smoking is strictly prohibited inside the Company and in case of any person found with smoking, penalty will be levied on contractor.

15)Material shall not be thrown to and from heights; proper and safe means of shifting shall be employer

Important Safety Instruction During Transportation:

01.All Vehicles should be Roadworthy and maintained

02.Driver should carry all valid documents namely RC Book, Insurance copy PUC, Driver License, etc.

03.Driver should be medically fit and checked periodically about vision and health condition.

04.Driver should have awareness about RTO Rules, and all safety rules for transportation of Goods/Hazardous Goods.

05.Driver should have up to date knowledge about Telephone number of concerned person and knowledge of environment.

06.Driver and helpers should wear required PPES while entering our factory premises.

07.Any violation observed during the contract period, towards safety rules & legal compliance, penalty will be charged as per the violation sensitivity.

We are forwarding this contract in duplicate with a request to kindly sign and return the duplicate copy in token of acceptance of this contract on the aforesaid terms and conditions.

Thanking You,

GRASIM INDUSTRIES LTD.
UNIT:INDIAN RAYON


GOVERDHAN GUPTA
Sr.VP (F&C)

Received

Yashpal



ADITYA BIRLA
Grasim Industries Limited
Unit:- Indian Rayon

Power Plant - Veraval
 Veraval Pin Code - 362266 [India]
 Telephone Number - 2876245711
 E-Mail Id - indian.rayon@adityabirla.com

Contract Number:**4100006162****PO Date : 31.01.2023****PO Number : PO 2800937687/NE02****Customer Code : 1000009893****AMBUJA CEMENTS LTD.(UNI -AMBUJANAGAR)****DIST= GIR SOMNATH,****KODINAR-362715****GUJARAT,India****State Code: 24****Contact Person:****Ph.No : 02795237409****Email: arsi.gohil@ambujacement.com****GSTIN : 24AAACG0569P1ZD****Contact Person : Chetan Purohit****Phone:****EMail Id: chetan.purohit@adityabirla.com**

Dear Sir,

We are pleased to place our order for the following scrap contract orders subject to terms and conditions and instructions specified here and overleaf. Please address all Bills and correspondence mentioning our order No. & date to the HOD (Material) Grasim Industries Limited/Unit:- Indian Rayon P.O Rayon plant - 362266, Veraval, Gujarat. Kindly mention our Item code & Purchase Order with applicable HSN/SAC Code on your Invoice.

SNo	Material	Code Description	HSN Code	Quantity	UOM	Rate	Total Tax%	Net Value
10	SSCASH00	FLY ASH (P.P.)	26219000	10000.000	TO	250	5	2500000.00
	03							0
								2500000.00
								0
								62500.00
								62500.00
								26250.00
								2500000.00

Total Value Excluding Taxes**Amount in Words : TWENTY FIVE LAKH Rupees Only****Purchase Order Terms and Conditions****INCO Terms****:CIF****Payment Terms****:Within 60 days due net**



Grasim Industries Limited
Unit:- Indian Rayon

Power Plant - Veraval
Veraval Pin Code - 362266 [India]
Telephone Number - 2876245711
E-Mail Id - indian.rayon@adityabirla.com

Contract Number:

4100006162

PO Date : 31.01.2023

PO Number : PO 2800937687/NE02

Validity of Contract: This contract is effective up to 31.12.2023.

General Terms:

- 1) You have to deposit Rs. Nil as a security deposit against this contract and it will be refunded only after satisfactory completion of the contract. This deposit will not carry any interest.
- 2) In case you fail to lift the material within stipulated time, we shall have the liberty to cancel the contract at any moment and forfeit the security deposit. If our losses are more than security deposit then you will be liable to pay for the additional losses in excess of security deposit.
- 3) Arrangement of transport and labour will be made by you to lift the scrap material from our Plant.
- 4) Delivery will be given only in working days and working hours.
- 5) It may also be noted that you will not be allowed to take any of your client or subcontractor inside our factory. In case we found any unauthorized person with you inside our factory we have right to cancel your contract and forfeit your deposit.
- 6) You will be solely responsible for the consequences arising out of use of scrap items purchased from us and therefore, you should take adequate care to dispose off the scrap items to the end users or reuse the same at your end suitably.
- 7) You will take necessary insurance of your visiting labour for loading of scrap and any kind of injury or loss of life of your worker during the loading or due to negligence, Indian Rayon would not be responsible for the same. You will fully responsible for their medical treatment & other compensation payable to your labour.
- 8) The worker's minimum age shall be 18 years, no child labour shall be employed
- 9) The contractor shall not engage himself in forced labour deployment at site
- 10) The contractor shall not discriminate any labour w.r.t. age, caste, religion etc. while working with IR.
- 11) The contractor shall provide Safety helmet, Gloves, nose mask and safety shoes (complying with the Indian Standard) to all his employees (including his sub-contractor employees).
- 12) In case a IR official find that the employees of the contractor working without use of appropriate Personal Protective Equipments (PPE), IR shall have a right to issue the PPEs to the concerned worker and deduct the cost and overhead charges from the bill of contractor.
- 13) Smoking is strictly prohibited inside the Company and in case of any person found with smoking, penalty will be levied on contractor.
- 14) Material shall not be thrown to and from heights; proper and safe means of shifting shall be employed.

Recruit



Grasim Industries Limited
Unit:- Indian Rayon

Power Plant - Veraval
Veraval Pin Code - 362266 [India]
Telephone Number - 2876245711
E-Mail Id - indian.rayon@adityabirla.com

Contract Number:

4100006162

PO Date : 31.01.2023

PO Number : PO 2800937687/NE02

Important Safety Instruction During Transportation :

- 1) All Vehicles should be Roadworthy and maintained.
- 2) Driver should carry all valid documents namely RC Book, Insurance copy PUC, Driver License, etc.
- 3) Driver should be medically fit and checked periodically about vision and health condition.
- 4) Driver should have awareness about RTO Rules, and all safety rules for transportation of Goods/Hazardous Goods.
- 5) Driver should have upto date knowledge about Telephone number of concerned person and knowledge of environment.
- 6) Driver and helpers should wear required PPES while entering our factory premises.
- 7) Any violation observed during the contract period, towards safety rules & legal compliance, penalty will be charged as per the violation sensitivity.

We are forwarding this contract in duplicate with a request to kindly sign and return the duplicate copy in token of your having accepted this contract on the aforesaid terms and conditions.

Thanking You,

GRASIM INDUSTRIES LTD.
UNIT: INDIAN RAYON


GOVERDHAN GUPTA
Sr.VP F&C)


Recd



Gracim Industries Limited
Unit:- Indian Rayon

Power Plant - Veraval
Veraval Pin Code - 362266 [India]
Telephone Number - 2876245711
E-Mail Id - indian.rayon@adityabirla.com

Contract Number:

4100006227

PO Date : 06.09.2023

PO Number : Approval Dt.

Validity of Contract: This contract is effective up to 31.08.2024 (as and when require by us)

General Terms:

- 01) You shall deposit Rs. Nil as a security deposit against this contract and it will be refunded only after satisfactory completion
- 02) In case you fail to lift the material within stipulated time, we shall have the liberty to cancel the contract at any moment and additional loss in excess of security deposit.
- 03) Arrangement of transport and labour will be made by you to lift the scrap material from our Plant.
- 04) Delivery will be given only in working days and working hours.
- 05) It may also be noted that you will not be allowed to take any of your client or subcontractor inside the factory. In case we find
- 06) You will be solely responsible for the consequences arising out of use of scrap items purchased from us and therefore, you should
- 07) You will take necessary insurance of your visiting labour for loading of scrap and any kind of injury or loss of life of your worker responsible for their medical treatment & other compensation payable to your labour.
- 08) The worker's minimum age shall be 18 years, no child labour shall be employed
- 09) The contractor shall not engage himself in forced labour deployment at site
- 10) The contractor shall not discriminate any labour w.r.t. age, caste, religion etc. while working with IR. Kindly fulfil following data for gate pass for material loading.
 1. Copy of Aadhar card
 2. Pass port size photographs to prepare gate pass by security
 3. Copy of Separate PF code
 4. Copy of WC policy
 5. Contract labour bank account details
 6. Police verification certificate in case of Gujarat belongs if contract labour belongs out of Gujarat contractor has to provide affidavit
 7. Safety supervisor is required during loading.
 8. Contractor has to present Covid negative report tested within 48 hours.
- 11) The contractor shall provide Safety helmet, Gloves, nose mask and safety shoes (complying with the Indian Standard) to all his
- 12) In case a IR official find that the employees of the contractor working without use of appropriate Personal Protective Equipmen

Resmit

Yasir

1



Grasim Industries Limited
Unit:- Indian Rayon

Power Plant - Veraval
Veraval Pin Code - 362266 [India]
Telephone Number - 2876245711
E-Mail Id - indian.rayon@adityabirla.com

Contract Number:
4100006227

PO Date : 06.09.2023
PO Number : Approval Dt.

12) In case a IR official find that the employees of the contractor working without use of appropriate Personal Protective Equipments (PPE), IR shall have a right to issue the PPEs to the concerned worker and deduct the cost and overhead charges from the bill of contractor.

13) Smoking is strictly prohibited inside the Company and incase of any person found with smoking, penalty will be levied on contractor.

14) Material shall not be thrown to and from heights; proper and safe means of shifting shall be employed

Important Safety Instruction During Transportation :

01All Vehicles should be Roadworthy and maintained

02Driver should carry all valid documents namely RC Book, Insurance copy PUC, Driver License, etc.

03Driver should be medically fit and checked periodically about vision and health condition.

04Driver should have awareness about RTO Rules, and all safety rules for transportation of Goods/Hazardous Goods.

05Driver should have upto date knowledge about Telephone number of concerned person and knowledge of environment.

06Driver and helpers should wear required PPES while entering our factory premises.


07Any violation observed during the contract period, towards safety rules & legal compliance, penalty will be charged as per the violation sensitivity.

We are forwarding this contract in duplicate with a request to kindly sign and return the duplicate copy in token of your having accepted this contract on the aforesaid terms and conditions.

Thanking You,
GRASIM INDUSTRIES LTD.
UNIT:INDIAN RAYON


GOVERDHAN GUPTA
Sr.VP(F&C)







BAJARANG TRANSPORT CO.*** Transport Contractor ***

Opp. Yamuna Market, Veraval Bye-Pass, Veraval. Mo. 97237 02288 / 99092 55155
E-mail : bajrangtransport9544@gmail.com

Ref. No.

Date :

We, M/s Bajrang Transport incorporated under annaul Contract dated 01.04.2023 to 31.03.2024 for Bed Ash Management with M/s Grasim Industries Limited a company existing under the Companies having its production unit at Veraval, Gujarat

WHEREBY we are obligated under the contract for Bed Ash Management at Grasim Industries Limited, Unit: Indian Rayon, Veraval including safe disposal Transportation (if any), market and storage of Bed ash generated at the Captive Power plant owned and operated by the GIL, strictly in compliance with fly ash notification dated 31.12.2021 and subsequent amendments from time to time. Also we are obligated to ensure compliance of all prescribed regulations regarding transportation loading, unloading, storage and disposal of ash in an environmentally sound manner and also to take all precautions to prevent air and water pollution as prescribed by Gujarat Pollution Control Board and Central Pollution Control Board or any other authority and the provisions of Rules issued by the Central Government under Motor Vehicles Act 1988 and other guidelines issued time to time.

We hereby do affirm and declare as under

1. That the quantity of bedash procured 3954.95 MT from Grasim Industries limited, Unit Indian Rayon, Veraval from 1st Apr'2023 31st Mar'2024 (12th Quarter) has been disposed for the following purposes

Month	Bed Ash utilization				Total Bed Ash Utilization
	Bricks Manufacturing	Paver Block	Filling Usage	Construction	
	MT	MT	MT	MT	
Apr-23	153.47	150	190	165.00	658.47
May-23	79.44	85.58	57.06	48.53	270.61
Jun-23	72.84	84.08	80.48	50.78	288.18
Jul-23	72.02	56.73	63.78	31.32	223.85
Aug-23	182	126	115	71.99	494.99
Sep-23	138.11	74.75	186.19	114.54	513.59
Oct-23	125.47	67.13	55.54	50.59	298.73
Nov-23	125.23	120	50.2	29	324.43
Dec-23	85.1	58	76.9	88	308.00
Jan-24	39.4	65.22	55	46	205.62
Feb-24	60.7	49.22	59.5	47.72	217.14
Mar-24	40.93	36.17	45.23	29.01	151.34
TOTAL	1174.71	972.88	1034.88	772.48	3954.95

Bajrang Transport Co.


 Proprietor

Subject to Veraval Jurisdiction

BAJARANG TRANSPORT CO.

*** Transport Contractor ***

Opp. Yamuna Market, Veraval Bye-Pass, Veraval. Mo. 97237 02288 / 99092 55155
E-mail : bajrangtransport9544@gmail.com

Ref. No.

Date :

2. That the bed ash so purchased has been transported, handled & disposed of in strict compliance of Ministry of Environment, Forest and Climate Change Notification New Delhi, dated 31st December, 2021,
3. That applicable laws/rules/notification/ of the central or state government office circular for meeting of statutory compliances of handling of the fly ash have been complied.
4. That documentary evidence including invoice to substantiate the contents of the certificate have been maintained
5. That we shall be fully liable for all the cost and consequences and hereby agree to indemnify Grasim Industries limited, its affiliates, directors, officers, agents and employees, other contractors engaged directly or indirectly by GIL from all demands, claims, suits and causes of action and any and all liabilities, costs, expenses, settlements and judgments incurred in connection therewith (including court costs and attorney's fees incurred) arising out of or in connection with transportation ,storage or usage of the fly ash procured from Grasim Industries limited

Regards

M/S Bajarang transport

Bajarang Transport Co.

M. S. Bajarang
Proprietor